

Reference	Model	Description	List Price € 2011
-----------	-------	-------------	----------------------

ABOUT 2011 Price List

- Products are classified according to their recommended application in products for Vehicles and Accessories, and in categories (Priority Warning Lights, Supplemental & Perimeter Warning Lighting, Interior Mount Lighting, Acoustic Warning and others). Within each category, products are grouped in families or Series.
 - NEW** indicates a new entry in the Price List for 2011.
 - One asterisk in the reference (0000000*), indicates that the delivery time can be longer than usual, since these products are not manufactured and not directly serviced from Vilassar de Dalt.
 - For each product the Reference number (#), model and description are shown. Product reference numbers are the same as those used in our business system. Please order the product by its corresponding reference number.
 - Lightbar options cannot be bought separately from the lightbar
 - Prices are in Euro (€), and the delivery terms are EX-WORKS Vilassar de Dalt.
 - For a proper and safe installation and operation, remember to read all installation manuals carefully.
- Effective from: 01.01.11
 Validity until: 31.12.11
This is not a contract document, the prices can be modified without previous notice.

EMERGENCY SERVICES EQUIPMENT			
MAIN WARNING LIGHTS			
LIGHTBARS			
NEW!		Serie TRAFFIC STORM	
		Options - Priority lights	
	TF-SL/B	44" Basic lightbar, (20) Solaris modules of (3) LEDs, blue light, wiring harness, UN R65 approved class 2	1691,25
	TF-SL/A	44" Basic lightbar, (20) Solaris modules of (3) LEDs, amber light, wiring harness, UN R65 approved class 1	1691,25
		Options - Lateral Section - Alley light	
	TF-FF	(4) Solaris modules of (3) LEDs, white light	194,75
		Options - Front & Center Section - Lower Level	
	TF-FF	(2) Solaris modules of (6) LEDs, white light, steady burn and/or flashing.	194,75
	TF-LE	(2) Solaris modules of (6) LEDs, blue light, priority lights extension.	194,75
	TF-LP	(2) Solaris modules of (6) LEDs, red light, flashing	194,75
	TF-CI	(2) Solaris modules of (6) LEDs, white light, lighted sign without text*	194,75
		* The text message must be ordered separately.	
		Options - Rear & Center Section - Lower Level	
	TF-FP	(2) Solaris modules of (6) LEDs, white light, steady burn and/or flashing	194,75
	TF-LE	(2) Solaris modules of (6) LEDs, blue light, priority lights extension.	194,75
	TF-A/SM	(2) Solaris modules of (6) LEDs, amber light, flashing or SignalMaster (directional lighting system).	194,75
	TF-CI	(2) Solaris modules of (6) LEDs, white light, lighted sign without text	194,75
		Options - Front & Center Section - Upper Level	
	TF-LP-S	(2) LED modules, red light, flashing	133,25
		Options - Rear & Center Section - Upper Level	
	TF-A/SM-S	(2) LED modules, amber light, flashing or SignalMaster (directional lighting system).	133,25
		Options Foldable LED Sign	
	TF-CLP	(1) LSG900, foldable LED Sign, red light, rear signalisation, integrated SignalMaster (directional lighting system), 200 programmable messages from the user with normal and/or mirror view and scrolling.	1435,00
	TF-CLF	(1) Front LED Sign, red light, front signalisation, 200 programmable messages from the user with normal and/or mirror view and scrolling.	1230,00
		Mount Accessories	
	TF-CT	Roof connector, 19-ways	70,21
	TF-FP	Permanent mounting kit (recommended)	138,63
	TF-FT	Hook-on mounting kit (specify vehicle)	

Reference	Model	Description	List Price € 2011
		Control head	
BCT3000-03	BCT3000	Control head for Traffic Storm series1 10 buttons for emergency and auxiliary systems. Delayed public address. Voice player/recorder (1 message)2 CAN BUS technology with LCD screen. Voice and text messages can be previewed Volume control for public address and voice player. SignalMaster control. USB connection.	353,63
		1 Contact our sales departmente for available models 2 BCT3000 enables to pre-programm diferent voice messages. For further information, contact our sales departmen	
		AS320 DIG CAN BUS siren amplifier	
2020268	AS320DIG	100W siren amplifierfor BCT3000. Features: Horn-ring connection. Radio repeat. Relay output (10A) for auxiliary lights synchronized with priority lights. Realy output (1A) for tachograph. Please contact your Sales Dept. for availability and models. Only can be installed with BCT3000 control head.	320,83
		Programming Accessories	
2025473	S2ME	SmartSign 2 Message Editor, for editing and downloading messages from PC. Only available for LSG900 programmable LED sign in Traffic Storm lightbars series.	92,25
		VISTA Series	
		Specify All Options System	
	X01-X03	36" (900 mm) Lightbar, all-light, wiring harness	450,45
	X11-X13	44" (1100 mm) Lightbar, all-light, wiring harness	529,98
	X21-X23	53" (1350 mm) Lightbar, all-light, wiring harness	622,06
	X31-X33	62" (1600 mm) Lightbar, all-light, wiring harness	789,57
	X41-X43	71" (1800 mm) Lightbar, all-light, wiring harness	947,86
	X12-X14	44" (1100 mm) Lightbar, speaker, wiring harness	864,53
	X22-X24	53" (1350 mm) Lightbar, speaker, wiring harness	986,18
	X32-X34	62" (1600 mm) Lightbar, speaker, wiring harness	1070,78
	X42-X44	71" (1800 mm) Lightbar, speaker, wiring harness	1229,07
		** <i>(Mounting kit included in price. Hook-on brackets purchased separately)</i>	
		Options - Priority lights - Upper Level	
		Solaris LEDs	
	X-SL	(26) modules of (3) high-intensity LEDs with parabolic reflector, blue (UN 65 approved), ambar or red light	1265,88
		Options - Center Section - Upper Level	
	X-CIO/1	(1) Lighted opal sign, on central module, 1100mm lightbars	97,04
	X-CIO/2	(2) Lighted opal sign, on central modules, 1300mm lightbars	194,06
	X-AD	(1) Adhesive message for lighted sign (front or rear)	86,13
	X-VB	(1) Installation of VisiBeam in a Vista Series lightbar. (Light not included).	168,87
		Options - Center Section - Upper Level	
	AS320DIG CAN BUS	100W siren amplifier, international tones (wail, yelp, hi-lo), 1 auxiliary output programmed with priority lights, wiring, 12V. Compatible only with ICS2000 Series control heads. Installation included	349,68
	AS320-PA CB	Public address kit with remote control. Volume and microfone functions control	51,41
		Options - Secondary Lights - Lower Level (specify colour)	
		(1) modules of (3) high-intensity LEDs with parabolic reflector, blue, ambar, red and white light	48,69

Reference	Model	Description	List Price € 2011
		* The function for each Solaris module must be specified when the lightbar and control head are ordered. ** Please contact your Sales Dept. for availability of configurations and versions.	
		CAN BUS Control Head	
BCT2006-XX	BCT2006	BCT2000 Series control head. 6 control keys.	114,80
BCT2010-XX	BCT2010	BCT2000 Series control head. 10 control keys.	128,13
BCT2015-XX	BCT2015	BCT2000 Series control head. 15 control keys.	142,99
BCT2021-XX	BCT2021	BCT2000 Series control head. 21 control keys.	179,89
NEW! 8216160XX	BCT500CB	BCT500 Series control head. 13 control keys. ** Please contact your Sales Dept. for availability.	320,26
		Vista Strobe and Halogen	
		Strobe	
	X-EL4	(4) Primary strobe heads, w/ power supply. UN 65 approved	644,34
	X-CE4	(1) Cruise light, (4) strobe heads	32,01
	X-EL6	(6) Primary strobe heads, (2) power supplies. UN 65 approved	1193,49
	X-CE6	(1) Cruise light, (6) strobe heads	47,40
	X-EL8	(8) Primary strobe heads, (2) power supplies. UN 65 approved	1288,65
	X-CE8	(1) Cruise light, (8) strobe heads	62,89
		Halogen	
	X-R2	(2) Primary belt-driven rotators. UN 65 approved	159,91
	X-RS4	(4) Primary synchro belt-driven rotators. UN 65 approved	319,83
	X-CH	(1) Cruise light, halogen	19,89
		Options - Center Section - Upper Level	
	X-R1	(1) Belt-driven rotator, halogen	79,95
	X-HWL	(1) High power work light, 12V	155,26
	X-OSC1/12	(1) Oscillator light (left / right), 12V	117,96
	X-OSC1/24	(1) Oscillator light (left / right), 24V	147,38
	X-OSC2/12	(2) Oscillator lights(left / right), 12V	235,92
	X-OSC2/24	(2) Oscillator lights (left / right), 24V	294,76
	X-TCL1	(1) TCL oscillator light (all directions)	157,16
	X-TCL2	(2) TCL oscillator lights (all directions)	314,69
	X-CIO/1	(1) Lighted opal sign, on central module, 1100mm lightbars	97,04
	X-CIO/2	(2) Lighted opal sign, on central modules, 1300mm lightbars	194,06
	X-AD	(1) Adhesive message for lighted sign (front or rear)	86,13
	X-LSG700	SmartSign LED sign, 200 programmable messages, 575x195x185mm. LCD700 control head and SmartSign Message Editor not included in price. See LED Signs SmartSign. (in combination with clear upper domes)	778,48
	X-ICS2010	(1) Integrated Control System, 100W siren amplifier w/ 16 programs, SignalMaster controller, 10 relays, wiring harness, controlled by BCT-500 control head (see page. xx). 100W Speaker and control head not included in price	584,91
	X-AS250	(1) 100W Siren amplifier, 3 tones, w/o P.A, splash-proof, installed in lightbar. 100W Speaker not included	319,03
	X-AS320	(1) 100W Siren amplifier, 3 tones, remote control, w/ P.A., installed in lightbar. 100W Speaker not included	407,55
	X-SC35	(1) 35W Compact Siren integrated with 16 available tones	383,48
	X-SC35-FG	(1) 35W Compact Siren integrated with special tones for Germany (approved) and France	408,06
	X-VB	(1) Installation of VisiBeam in a Vista Series lightbar. (Light not included).	168,87
		Options - Corner Lights & SignalMaster - Lower Level	
	X-VR/12	(1) VistaRay, oscillating light, halogen, 12V	312,03
	X-VR/24	(1) VistaRay, oscillating light, halogen, 24V	364,70
	X-H6	SignalMaster, directional lighting system, (6) halogen lights, w/o controller, specify colour red or amber	253,04
	X-H8	SignalMaster, directional lighting system, (8) halogen lights, w/o controller, specify colour red or amber	337,52
	X-S6/A-R	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w/o controller, specify colour red or amber	362,63
	X-S6/B	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w/o controller, blue	471,40

Reference	Model	Description	List Price € 2011
	X-S8/A-R	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w/o controller, specify colour red or amber	491,05
	X-S8/B	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w/o controller, blue	638,36
	X-S6KS/A-R	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w controller, specify colour red or amber	551,58
	X-S6KS/B	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w controller, blue	717,06
	X-S8KS/A-R	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w controller, specify colour red or amber	665,93
	X-S8KS/B	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w controller, blue	865,72
		<i>**(Control purchased separately. See Signalmaster controllers or Integrate Control System ICS)</i>	
		Options - Strobe Secondary Lights - Lower Level	
	X-EI2	(2) Strobe heads, w/ power supply	549,55
	X-EI4	(4) Strobe heads, w/ power supply	680,21
	X-EI6	(6) Strobe heads, (2) power supplies	1229,37
	X-EI8	(8) Strobe heads, (2) power supplies	1360,03
		Options - Secondary Lights - Lower Level (specify colour)	
	X-FL2	(2) Alley lights	73,16
	X-FL4	(4) Alley lights	146,68
	X-FF2	(2) Front / rear lights	73,16
	X-FF4	(4) Front / rear lights	146,68
	X-FIL2/12	(2) Flashing lights w/ lens, 12V	114,53
	X-FIL2/24	(2) Flashing lights w/ lens, 24V	217,27
	X-FIL4/12	(4) Flashing lights w/ lens, 12V	201,29
	X-FIL4/24	(4) Flashing lights w/ lens, 24V	435,26
	X-FPL	(2) Work lights, w/ lens	80,80
	X-BTT-12	(2) Brake, turn and tail lights w/ lens (specify colour red or amber), 12V	96,95
	X-BTT-24	(2) Brake, turn and tail lights w/ lens (specify colour red or amber), 24V	139,27
	X-LF/B SPK	(2) Sputnik LED modules, high intensity and low consumption, steady burn mode, blue	188,34
	X-LF/A SPK	(2) Sputnik LED modules, high intensity and low consumption, steady burn mode, amber	107,63
	X-LF/R SPK	(2) Sputnik LED modules, high intensity and low consumption, steady burn mode, red	107,63
	X-LF3/B SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, steady burn mode, blue	223,00
	X-LF3/A SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, steady burn mode, amber	144,26
	X-LF3/R SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, steady burn mode, red	144,26
	X-LI/B SPK	(2) Sputnik LED modules, high intensity and low consumption, flashing mode, blue	228,71
	X-LI/A SPK	(2) Sputnik LED modules, high intensity and low consumption, flashing mode, amber	147,99
	X-LI/R SPK	(2) Sputnik LED modules, high intensity and low consumption, flashing mode, red	147,99
	X-LI3/B SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, flashing mode, blue	270,78
	X-LI3/A SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, flashing mode, amber	198,35
	X-LI3/R SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, flashing mode, red	198,35
		Mount Accessories	
8234144	X-FP	Permanent mounting kit	137,52
	X-FT	Hook-on mounting kit (specify vehicle)	172,57
		Hook-on mounting bracket (hook-on not included)	113,09
CT/CT-23	X/CT-23	Roof connector, 23- ways	92,25
		ARJENT SPUTNIK Series	
		Specify All Options System	
	AJ11-AJ13	44" (1100 mm) Lightbar, all-light, wiring harness	380,02
	AJ21-AJ23	53" (1350 mm) Lightbar, all-light, wiring harness	470,47
	AJ31-AJ33	62" (1600 mm) Lightbar, all-light, wiring harness	549,03
	AJ41-AJ43	71" (1800 mm) Lightbar, all-light, wiring harness	640,66

Reference	Model	Description	List Price € 2011
		Priority Lights	
	AJ-SPK	(2) Series of (14) Sputnik LEDs (1W) with advanced optical design and low consumption, blue or amber, cruise light, lamp failure detection, UN 65 approved	746,31
	AJ-SPK-3W	(2) Series of (14) Sputnik LEDs (3W) with advanced optical design and low consumption, blue or amber, cruise light, lamp failure detection, UN 65 approved	802,82
	AJ-SPK	(2) Series of (12) Sputnik LEDs (1W) with advanced optical design and low consumption, blue or amber, cruise light, lamp failure detection, UN 65 approved (only in combination with alley lights)	659,21
	AJ-SPK-3W	(2) Series of (12) Sputnik LEDs (3W) with advanced optical design and low consumption, blue or amber, cruise light, lamp failure detection, UN 65 approved (only in combination with alley lights)	707,64
	AJ-LE/B SPK	(2) Sputnik LED modules, high intensity and low consumption, priority lights extension, blue	188,34
	AJ-LE/A SPK	(2) Sputnik LED modules, high intensity and low consumption, priority lights extension, amber	107,63
	AJ-LE/R SPK	(2) Sputnik LED modules, high intensity and low consumption, priority lights extension, red	107,63
	AJ-LE3/B SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, priority lights extension, blue	223,00
	AJ-LE3/A SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, priority lights extension, amber	144,26
	AJ-LE3/R SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, priority lights extension, red	144,26
		Lighting Options	
	AJ-FL2	(2) Alley lights	73,16
	AJ-FF2	(2) Front / rear lights	73,16
	AJ-FF4	(4) Front / rear lights	146,68
	AJ-FIL2/12	(2) Flashing lights w/ lens, 12V	114,53
	AJ-FIL2/24	(2) Flashing lights w/ lens, 24V	217,27
	AJ-FIL4/12	(4) Flashing lights w/ lens, 12V	201,29
	AJ-FIL4/24	(4) Flashing lights w/ lens, 24V	435,26
	AJ-FPL	(2) Work lights, w/ lens	80,80
	AJ-BTT-12	(2) Brake, turn and tail lights w/ lens (specify colour red or amber), 12V	96,95
	AJ-BTT-24	(2) Brake, turn and tail lights w/ lens (specify colour red or amber), 24V	139,27
	AJ-LF/B SPK	(2) Sputnik LED modules, high intensity and low consumption, steady burn mode, blue	188,34
	AJ-LF/A SPK	(2) Sputnik LED modules, high intensity and low consumption, steady burn mode, amber	107,63
	AJ-LF/R SPK	(2) Sputnik LED modules, high intensity and low consumption, steady burn mode, red	107,63
	AJ-LF3/B SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, steady burn mode, blue	223,00
	AJ-LF3/A SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, steady burn mode, amber	144,26
	AJ-LF3/R SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, steady burn mode, red	144,26
	AJ-LI/B SPK	(2) Sputnik LED modules, high intensity and low consumption, flashing mode, blue	228,71
	AJ-LI/A SPK	(2) Sputnik LED modules, high intensity and low consumption, flashing mode, amber	147,99
	AJ-LI/R SPK	(2) Sputnik LED modules, high intensity and low consumption, flashing mode, red	147,99
	AJ-LI3/B SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, flashing mode, blue	270,78
	AJ-LI3/A SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, flashing mode, amber	198,35
	AJ-LI3/R SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, flashing mode, red	198,35
		Directional warning options	
	AJ-H6	SignalMaster, directional lighting system, (6) halogen lights, w/o controller, specify colour red or amber	253,04
	AJ-H8	SignalMaster, directional lighting system, (8) halogen lights, w/o controller, specify colour red or amber	337,52
	AJ-S6/A-R	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w/o controller, specify colour red or amber	362,63
	AJ-S6/B	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w/o controller, blue	471,40

Reference	Model	Description	List Price € 2011
	AJ-S8/A-R	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w/o controller, specify colour red or amber	491,05
	AJ-S8/B	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w/o controller, blue	638,36
	AJ-S6KS/A-R	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w controller, specify colour red or amber	551,58
	AJ-S6KS/B	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w controller, blue	717,06
	AJ-S8KS/A-R	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w controller, specify colour red or amber	665,93
	AJ-S8KS/B	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w controller, blue	865,72
		<i>** (Control purchased separately. See Signalmaster controllers or Integrate Control System ICS)</i>	
		Mount Accessories	
8234144	AJ-FP	Permanent mounting kit	137,52
	AJ-FT	Hook-on mounting kit (specify vehicle)	172,57
8234137		Hook-on mounting bracket (hook-on not included)	113,09
	AJ-CT/23	Roof connector, 23- ways	92,25
		VULCANO Series	
		Specify All Options System	
	VUL-950	38" (1100 mm) Vulcano Lightbar	847,68
	VUL-1100	44" (1100 mm) Vulcano Lightbar	939,93
		* The length of the Vulcano lightbar depends on the vehicle model. See our product bulletin.	
		Priority Lights	
	VUL-SL	(18) modules of (3) high-intensity LEDs with parabolic reflector, blue (UN 65 approved), amber or red light	876,38
		Lighting Options	
	VUL-SL	(1) modules of (3) high-intensity LEDs with parabolic reflector, blue, amber, red and white light	48,69
	VUL-FB	LED search light integrated, white light	346,45
		* The function for each Solaris module in the lower level must be specified when the lightbar is ordered. ** Please contact your Sales Dept. for availability of configurations and versions.	
2057003	VUL-003	Vulcano Solaris Series lightbar, 950 mm, formed by: * Priority light: 27 Solaris modules, blue light * Auxiliary lights: - 2 front Solaris modules, white light - 2 alley Solaris modules, white light	2356,99
2057004	VUL-004	Vulcano Solaris Series lightbar, 950 mm, formed by: * Priority light: 21 Solaris modules, blue light * Auxiliary lights: - 2 front Solaris modules, white light - 2 alley Solaris modules, white light - 6 rear Solaris modules, amber light	2356,99
2057005	VUL-005	Vulcano Solaris Series lightbar, 950 mm, formed by: * Priority light: 23 Solaris modules, blue light * Auxiliary lights: - 2 front Solaris modules, white light - 2 alley Solaris modules, white light - 4 rear Solaris modules, amber light	2356,99
2057006	VUL-006	Vulcano Solaris Series lightbar, 950 mm, formed by: * Priority light: 18 Solaris modules, blue light * Auxiliary lights: - 3 front Solaris modules, white light - 2 alley Solaris modules, white light - 2 front Solaris modules, red light - 6 rear Solaris modules, amber light	2356,99
		* Consult other Vulcano Series lightbars	
		Control Heads	
BCT2006-XX	BCT2006	BCT2000 Series control head. 6 control keys	114,80
BCT2010-XX	BCT2010	BCT2000 Series control head. 10 control keys	128,13

	Reference	Model	Description	List Price € 2011
	BCT2015-XX	BCT2015	BCT2000 Series control head. 15 control keys	142,99
	BCT2021-XX	BCT2021	BCT2000 Series control head. 21 control keys	179,89
NEW!	8216160XX	BCT500CB	BCT500 Series control head. 13 control keys.	320,26
			<i>** Please contact your Sales Dept. for availability.</i>	
			100W Siren amplifier	
NEW!	2020269	AS320DIG CAN BUS	100W siren amplifier, international tones (wail, yelp, hi-lo), 1 auxiliary output programmed with Vulcano Series priority lights, wiring, 12V. Compatible only with ICS2000 Series control heads of Vulcano Series.	320,83
			Accessorie	
NEW!	8235984	AS320-PA CB	Public address kit with remote control. Volume and microfone functions control	51,41
			Instalation accessories:	
	82441318	CBLDO-48	Wiring harness kit with watertight plug for fast connection to lightbar. Length 4800 mm	84,05
	82441318-01	CBLDO-98	Wiring harness kit with watertight plug for fast connection to lightbar. Length 9800 mm	101,99
	82341323	CBLDO-PLANO	Intermediate connection kit for flat wiring	43,56
			Mounting options	
		VUL-FT	Hook-on mounting, standard hook (consult available models)	
	8234173	VUL-FP	Permanent mounling	45,61
			LEGEND Series	
			Legend Solaris Series lightbar, 1130 mm, formed by: * Priority light: 20 Solaris modules blue light * Auxiliary lights: - 4 front Solaris modules, white light - 2 alley Solaris modules, white light - 2 front Solaris modules, red light - 8 rear Solaris modules, amber light	
	2059001	LGD45		2111,50
			Legend Solaris Series lightbar, 1130 mm, formed by: * Priority light: 16 Solaris modules blue light * Auxiliary lights: - 4 front Solaris modules, white light - 2 alley Solaris modules, white light - 4 rear Solaris modules, amber light	
	2059002	LGD45		1624,63
			Legend Solaris Series lightbar, 1130 mm, formed by: * Priority light: 16 Solaris modules blue light * Auxiliary lights: - 4 front Solaris modules, white light - 2 alley Solaris modules, white light	
	2059003	LGD45		1429,88
			Legend Solaris Series lightbar, 1130 mm, formed by: * Priority light: 34 Solaris modules, blue light * Auxiliary lights: - 4 front Solaris modules, white light	
	2059004	LGD45		2208,88
			Legend Solaris Series lightbar, 1130 mm, formed by: * Priority light: 16 Solaris modules, blue light * Auxiliary lights: - 4 front Solaris modules, white light - 2 alley Solaris modules, white light - 2 front Solaris modules, red light - 4 rear Solaris modules, amber light	
	2059005	LGD45		1722,00
			Legend Solaris Series lightbar, 1130 mm, formed by: * Priority light: 16 Solaris modules, blue light * Auxiliary lights: - 4 front Solaris modules, white light - 2 alley Solaris modules, white light - 8 rear Solaris modules, amber light	
	2059006	LGD45		1819,38
			Legend Solaris Series lightbar, 1130 mm, formed by: * Priority light: 32 Solaris modules, blue light * Auxiliary lights: - 4 front Solaris modules, white light - 2 alley Solaris modules, white light	
	2059007	LGD45		2208,88
			Control Heads	
	BCT2006-XX	BCT2006	BCT2000 Series control head. 6 control keys	114,80

Reference	Model	Description	List Price € 2011
BCT2010-XX	BCT2010	BCT2000 Series control head. 10 control keys	128,13
BCT2015-XX	BCT2015	BCT2000 Series control head. 15 control keys	142,99
BCT2021-XX	BCT2021	BCT2000 Series control head. 21 control keys	179,89
NEW! 8216160XX	BCT500CB	BCT500 Series control head. 13 control keys.	320,26
		<i>** Please contact your Sales Dept. for availability.</i>	
		Specify All Options System	
	LGD-B45*	45" (1125 mm) Legend Lightbar, wiring harness	358,75
	LGD-B53*	53" (1325 mm) Legend Lightbar, wiring harness	458,75
	LGD-B61*	61" (1125 mm) Legend Lightbar, wiring harness	Consult
	LGD-B69*	69" (1325 mm) Legend Lightbar, wiring harness	Consult
		Priority Lights	
	LGD-SL	(16) modules of (3) high-intensity LEDs with parabolic reflector, blue (UN 65 approved) or red light	779,00
	LGD-SL	(20) modules of (3) high-intensity LEDs with parabolic reflector, amber UN 65 approved)	973,75
		Lighting Options	
	LGD-SL	(1) modules of (3) high-intensity LEDs with parabolic reflector, blue, amber, red and white light	48,69
		<i>* The function for each Solaris module in the lower level must be specified when the lightbar is ordered. ** Please contact your Sales Dept. for availability of configurations and versions.</i>	
		100W Siren amplifier	
NEW! 2020269	AS320DIG CAN BUS	100W siren amplifier, international tones (wail, yelp, hi-lo), 1 auxiliary output programmed with priority lights, wiring, 12V. Compatible only with ICS2000 Series control heads of Legend Series.	320,83
		Accessorie	
NEW! 8235984	AS320-PA CB	Public address kit with remote control. Volume and microfone functions control	51,41
		Mounting options	
8234174	LGD/FT	Permanent mounting kit	99,37
	A-CT19	Roof connector, 19-ways	70,21
		VECTOR® VL Series	
		Specify All Options System	
	VL-3	520 mm Lightbar, (3) pods, wiring harness	305,17
	VL-5	1000 mm Lightbar, (5) pods, wiring harness	377,48
	VL-7	1100 mm - 1200 mm Lightbar, (7) pods, wiring harness	495,82
		<i>** (VECTOR® VL SERIES do not have rear plate)</i>	
		Lighting Options	
NEW!	VL-SL	(1) modules of (15) high-intensity LEDs with parabolic reflector, blue (UN R65 Approved), amber or red light, permanent mount, multivoltage.	275,00
NEW!	VL-SL/2	(1) modules of 15+15 high-intensity LEDs with parabolic reflector, blue (UN R65 Approved), amber (UN R65 Approved), or red light, permanent mount, multivoltage.	405,00
	VL-R	(1) Belt-driven rotator pod, 120/130 FPM, halogen lamp. UN R65 approved	97,70
	VL-E	(1) 360° Strobe head pod, 120 double flashers, w/ power supply, (1) cruise light. UN R65 approved	306,17
	VL-AUX/3	(1) Auxiliary pod, (3) alley ligts, (1) takedown, (1) rear amber LED light	162,05
	VL-AUX/4	(1) Auxiliary pod, (2) alley lights, (1) takedown, (1) rear amber LED light	171,13
	VL-VV	(1) VisiVector search light integrated in the pod, (1) 55W lamp and home position, 12V	429,56
	VL-CLD	Sputnik Stop Light, (2) high intensity compact LED light, red light, Control head with the following functions: on/off, flashing mode, automatic deactivation, manual deactivation by mean of handbrake and optional connection to one or two Microled, 12V	214,78

Reference	Model	Description	List Price € 2011
	VL-CLD-B	Sputnik High intensity directional LED set, (2) high intensity compact LED light, blue light, Control head with on/off functions, 12V	214,78
		Acoustic Options	
	VL-SCS1000	SCS1000, compact siren integrated with 16 selectable tones. Installation included	280,03
	VL-SCS1000-FG	SCS1000-FG, compact siren integrated with special tones for Germany (approved) and France. Installation included	304,60
	VL-SCS1000N	SCS1000N, Neodymium compact siren integrated with special tones for Italy. Installation included	384,08
	VL-SCS1000N-FG	SCS1000N-FG, Neodymium compact siren integrated with special tones for Germany and France. Installation included	384,08
		SignalMaster	
	VL-H4	SignalMaster, directional lighting system, (4) halogen lights, w/o controller, installed in VL3 rear plate, amber	262,84
	VL-H6	SignalMaster, directional lighting system, (6) halogen lights, w/o controller, installed in VL3 rear plate, amber	280,81
	VL-H8	SignalMaster, directional lighting system, (8) halogen lights, w/o controller, installed in VL3 rear plate, amber	335,61
	VL-H6KS	SignalMaster, directional lighting system, (6) halogen lights, w/controller, installed in VL3 rear plate, amber	507,77
	VL-H8KS	SignalMaster, directional lighting system, (8) halogen lights, w/controller, installed in VL3 rear plate, amber	562,11
	VL-L6KS	SignalMaster, directional lighting system, (6) LED modules, w/ controller, amber	641,48
	VL-L8KS	SignalMaster, directional lighting system, (8) LED modules, w/ controller, amber	771,05
		<i>**(Control purchased separately. See Signalmaster controllers or Integrate Control System ICS)</i>	
		Mount Accesories	
8234077	VL-FP	Permanent mounting kit	141,18
8234128	VL3-FMG	Magnetic mount VL3	156,58
	VL-FT	Hook-on mounting bracket (hook-on not included)	124,35
	VL-CT19	Roof connector, 19-ways	70,21
	VL-CT23	Roof connector, 23-ways	92,25
		PHOENIX Series	
		ROC Solaris Series	
		Minilightbars - Standard lengths: 400mm - 700mm	
	MPXS-2S1N	Basic Minilightbar, standard length, (2) rings of (15) high-intensity LEDs in (1) level with parabolic reflector, blue (UN 65 approved), amber (UN 65 approved) or red light, multivoltage, wiring harness	661,13
	MPXS-2S2N	Basic Minilightbar, standard length, (4) rings of (15) high-intensity LEDs in (2) levels with parabolic reflector, blue (UN 65 approved), amber (UN 65 approved) or red light, multivoltage, wiring harness	968,63
		Specify All Options System - Standard lengths: 800mm - 1200mm	
	PXS-2S1N	Basic lightbar, standard length, (2) rings of (15) high-intensity LEDs in (1) level with parabolic reflector, blue (UN 65 approved), amber (UN 65 approved) or red light, multivoltage, wiring harness	748,25
	PXS-2S2N	Basic lightbar, standard length, (4) rings of (15) high-intensity LEDs in (2) level with parabolic reflector, blue (UN 65 approved), amber (UN 65 approved) or red light, multivoltage, wiring harness	1055,75
	PXS-4S1N	Basic lightbar, standard length, (4) rings of (15) high-intensity LEDs in (1) level with parabolic reflector, blue (UN 65 approved), amber (UN 65 approved) or red light, multivoltage, wiring harness	1055,75
	PXS-4S2N	Basic lightbar, standard length, (8) rings of (15) high-intensity LEDs in (2) level with parabolic reflector, blue (UN 65 approved), amber (UN 65 approved) or red light, multivoltage, wiring harness	1670,75
		PHOENIX Strobe Series	
		Specify All Options System - Standard lengths: 500mm - 1200mm	

Reference	Model	Description	List Price € 2011
	PXE-CHL/Mini	350mm lightbar, (2) 360° Strobe heads, w/ basic power supply, wiring harness. UN R65 approved	558,09
	PXE-CHL	Basic lightbar, standard length, (2) 360° Strobe heads, w/ basic power supply, wiring harness. Economic version. UN R65 approved	698,67
	PXE-HL	Basic lightbar, standard length, (2) 360° Strobe heads, w/ power supply, wiring harness. UN R65 approved	766,96
	PXE-HL4	Basic lightbar, standard length, (4) Directional strobe heads, w/ power supply, wiring harness. UN R65 approved	831,65
		Lighting Options	
	PXE-R2	(2) Extra bell-driven rotators, H1 lamp	120,94
	PXE-CD81	(2) Directional strobe heads, w/ power supply	499,21
	PXE-CD82	(2) Directional strobe heads, w/o power supply	145,48
		PHOENIX Halogen Series	
		Specify All Options System - Standard lengths: 500mm - 1200mm	
	PXH-Mini	400mm Lightbar, (1) Bell-driven rotators, wiring harness. UN R65 approved	249,34
	PXH2	Basic lightbar, standard length, (2) Bell-driven rotators, mirrors, (1) cruise light, wiring harness. UN R65 approved	479,09
	PXH4-S	Basic lightbar, standard length, (4) Synchronized bell-driven rotators, (1) cruise light, wiring harness. UN R65 approved	625,12
		Lighting Options	
	PXH-R2	(2) Extra bell-driven rotators, H1 lamp	120,94
	PXH-CD81	(2) Directional strobe heads, w/ power supply	499,21
	PXE-CD82	(2) Directional strobe heads, w/o power supply	145,48
		Options for PHOENIX Sputnik, Strobe and Halogen Series	
		Supplement for lengths	
	PX-SUPL/P1	Supplement for lengths between 1300 and 1600 mm	81,17
	PX-SUPL/P2	Supplement for special lengths (longer than 1600 mm)	156,85
		Lighting Options	
	PX-FF	(2) Front or rear lights, H1 lamp	70,62
	PX-LP/FF	(2) LED modules Sputnik (red light) and takedown light (H3 lamp)	326,75
	PX-FL	(2) Fixed alley lights, H1 lamp	70,62
	PX-FPI	(2) Front or rear flashing lights, H1 lamp	116,07
NEW!	PX-BTT/LED	(2) Brake/Tail/Turn lights LED	207,18
	PX-LF/B SPK	(2) Sputnik LED module, high intensity and low consumption, steady burn mode, blue colour	188,34
	PX-LF/A SPK	(2) Sputnik LED module, high intensity and low consumption, steady burn mode, amber colour	107,63
	PX-LF/R SPK	(2) Sputnik LED module, high intensity and low consumption, steady burn mode, red colour	107,63
	PX-LF3/B SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, steady burn mode, blue	223,00
	PX-LF3/A SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, steady burn mode, amber	144,26
	PX-LF3/R SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, steady burn mode, red	144,26
	PX-LI/B SPK	(2) Sputnik LED module, high intensity and low consumption, flashing mode, blue colour	228,71
	PX-LI/A SPK	(2) Sputnik LED module, high intensity and low consumption, flashing mode, amber colour	147,99
	PX-LI/R SPK	(2) Sputnik LED module, high intensity and low consumption, flashing mode, red colour	147,99
	PX-LI3/B SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, flashing mode, blue	270,78
	PX-LI3/A SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, flashing mode, amber	198,35
	PX-LI3/R SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, flashing mode, red	198,35
	PX-VB	(1) Visibeam installed upon a Phoenix Series lightbar. Installation included	101,73
		Acoustic Options	
	PX-AL/100N	(1) 100W Speaker, installed	415,72
	PX-SC35	(1) Integrated 35W Compact Siren with 16 available tones	377,02

Reference	Model	Description	List Price € 2011
	PX-SC35-FG	(1) Integrated 35W Compact Siren with special tones for Germany (approved) and France.	400,73
	PX-AS250	(1) 100W Siren amplifier, 3 tones, w/o P.A., splash-proof, installed in lightbar. Installation included	308,12
		Signs Options	
	PX-CI1	(1) Front or rear lighted sign, optional message	127,61
	PX-CI2	(1) Front and rear lighted sign, optional message	174,42
	PX-AD	(2) Adhesive messages for lighted sign	85,21
	PX-CIO	(1) Front and rear lighted opal sign, optional message	141,93
	PX-CL71	(1) LED Sign, (1) or (2) fixed messages	417,61
	PX-CL72	(1) LED Sign, (3) or (4) fixed messages	510,17
	PX-LSG700	SmartSign LED sign, 200 programmable messages, 575x195x185mm (LCD700 control head and SmartSign Message Editor not included in price)	751,43
		SignalMaster	
	PX-H6	SignalMaster, directional lighting system, (6) halogen lamps, w/o controller, amber	304,38
	PX-H8	SignalMaster, directional lighting system, (8) halogen lamps, w/o controller, amber	380,79
	PX-H6KS	SignalMaster, directional lighting system, (6) halogen lights, w/ controller, amber	461,13
	PX-H8KS	SignalMaster, directional lighting system, (8) halogen lights, w/ controller, amber	513,57
	PX-S6/A-R	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w/o controller, specify colour red or amber	345,74
	PX-S6/B	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w/o controller, blue	449,47
	PX-S8/A-R	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w/o controller, specify colour red or amber	468,17
	PX-S8/B	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w/o controller, blue	608,62
	PX-S6KS/A-R	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w controller, specify colour red or amber	524,68
	PX-S6KS/B	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w controller, blue	682,08
	PX-S8KS/A-R	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w controller, specify colour red or amber	632,30
	PX-S8KS/B	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w controller, blue	821,99
		** (Control purchased separately. See Signalmaster controllers or Integrated Control Systems)	
		Mount Accesories	
8234087	PX-FP/PA	Permanent mounting bracket, high	49,96
8234105	PX-FP/PB	Permanent mounting bracket, low	49,96
8234104	PX-FT	Hook-on mounting kit (hook-on not included)	54,60
8234150	PX-FMG	Magnetic mounting kit MINIPhoenix	228,59
	PX-CT23	Roof connector, 23-ways	92,25
		ESCAPE Series	
		LEDs ESCAPE Sputnik Series	
		Specify All Options System - Standard lengths: to confirm	
	ESCAPE SPK M	Basic lightbar (master) with (14) Sputnik LEDs (1W) with advanced optical design and low consumption, blue colour, control box, wiring harness, UN 65 approved	695,63
	ESCAPE SPK S	Basic lightbar (slave) with (14) Sputnik LEDs with (1W) advanced optical design and low consumption, blue colour, wiring harness, UN 65 approved	570,95
	ESCAPE SPK-3W M	Basic lightbar (master) with (14) Sputnik LEDs (3W) with advanced optical design and low consumption, blue colour, control box, wiring harness, UN 65 approved	723,20
	ESCAPE SPK-3W S	Basic lightbar (slave) with (14) Sputnik LEDs with (3W) advanced optical design and low consumption, blue colour, wiring harness, UN 65 approved	598,51
	E-LE/B SPK	(2) Sputnik LED module, high intensity and low consumption, priority lights extension, blue colour	188,34
	E-LE/A SPK	(2) Sputnik LED module, high intensity and low consumption, priority lights extension, amber colour	107,63

Reference	Model	Description	List Price € 2011
	E-LE/R SPK	(2) Sputnik LED module, high intensity and low consumption, priority lights extension, red colour	107,63
	E-LE3/B SPK	(2) Sputnik LED (3W) module, high intensity and low consumption, priority lights extension, blue colour	223,00
	E-LE3/A SPK	(2) Sputnik LED (3W) module, high intensity and low consumption, priority lights extension, amber colour	144,26
	E-LE3/R SPK	(2) Sputnik LED (3W) module, high intensity and low consumption, priority lights extension, red colour	144,26
		* Permanent mount included ** "Slave" lightbars must be installed with "master" lightbars	
		Strobe ESCAPE Series	
		Specify All Options System - Standard lengths: to confirm	
	ESCAPE STR M	Basic lightbar (master) with (2) directional strobes, power supply, wiring harness, UN 65 approved	800,47
	ESCAPE STR S	Basic lightbar (slave) with (2) directional strobes, wiring harness, UN 65 approved	383,42
		* Permanent mount included ** "Slave" lightbars must be installed with "master" lightbars	
		Options for LEDs Sputnik and STROBE ESCAPE Series	
		Supplement for lengths	
	E-SUPL/P1	Supplement for lengths between 1300 and 1600 mm	42,06
	E-SUPL/P2	Supplement for special lengths (more than 1600 mm)	81,24
		Lighting Options	
	E-FF	(2) Takedown lights, H1 lamp	70,62
	E-FPI	(2) Flashing lights, H1 lamp	116,07
	E-GHSCENE	(2) Scene lights with (2) 20W dichroic halogen lamps	155,83
	E-CD82	(2) Directional strobe heads, w/o power supply	145,48
	E-BTT-LED	(2) LED Brake/Tail/Turn lights approved	207,18
	E-LF/B SPK	(2) Sputnik LED module, high intensity and low consumption, steady burn mode, blue colour	188,34
	E-LF/A SPK	(2) Sputnik LED module, high intensity and low consumption, steady burn mode, amber colour	107,63
	E-LF/R SPK	(2) Sputnik LED module, high intensity and low consumption, steady burn mode, red colour	107,63
	E-LF3/B SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, steady burn mode, blue	223,00
	E-LF3/A SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, steady burn mode, amber	144,26
	E-LF3/R SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, steady burn mode, red	144,26
	E-LI/B SPK	(2) Sputnik LED module, high intensity and low consumption, flashing mode, blue colour	228,71
	E-LI/A SPK	(2) Sputnik LED module, high intensity and low consumption, flashing mode, amber colour	147,99
	E-LI/R SPK	(2) Sputnik LED module, high intensity and low consumption, flashing mode, red colour	147,99
	E-LI3/B SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, flashing mode, blue	270,78
	E-LI3/A SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, flashing mode, amber	198,35
	E-LI3/R SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, flashing mode, red	198,35
		Signs Options	
	E-CI1	(1) Lighted sign, w optional message	127,61
	E-AD	(2) Adhesive messages for lighted signs	85,20
		SignalMaster	
	E-H6*	SignalMaster, directional lighting system, (6) halogen lamps, w/o controller, amber	304,38
	E-H8*	SignalMaster, directional lighting system, (8) halogen lamps, w/o controller, amber	380,78
	E-H6KS	SignalMaster, directional lighting system, (6) halogen lights, w/ controller, amber	461,13
	E-H8KS	SignalMaster, directional lighting system, (8) halogen lights, w/ controller, amber	513,56
	E-S6/A-R	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w/o controller, specify colour red or amber	345,74
	E-S6/B	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w/o controller, blue	449,47
	E-S8/A-R	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w/o controller, specify colour red or amber	468,17

Reference	Model	Description	List Price € 2011
	E-S8/B	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w/o controller, blue	608,62
	E-S6KS/A-R	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w controller, specify colour red or amber	524,68
	E-S6KS/B	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w controller, blue	682,08
	E-S8KS/A-R	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w controller, specify colour red or amber	632,30
	E-S8KS/B	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w controller, blue	821,99
		** (Control purchased separately. See Signalmaster controllers or Integrated Control Systems ICS)	
		4000 / 3000 / 2000 Series	
		4000 Solaris Series	
		Minilightbars - Standard lengths: 463mm - 700mm	
	MP4-2S1N	Basic Minilightbar, standard length, (2) rings of (15) high-intensity LEDs in (1) level with parabolic reflector, blue (UN 65 approved), amber (UN 65 approved) or red light, multivoltage, wiring harness	502,25
	MP4-2S2N	Basic Minilightbar, standard length, (4) rings of (15) high-intensity LEDs in (2) levels with parabolic reflector, blue (UN 65 approved), amber (UN 65 approved) or red light, multivoltage, wiring harness	809,75
	MP4-4S1N	Basic Minilightbar, minimum 700 mm, (4) rings of (15) high-intensity LEDs in (1) levels with parabolic reflector, blue (UN 65 approved), amber (UN 65 approved) or red light, multivoltage, wiring harness	809,75
	MP4-4S2N	Basic Minilightbar, minimum 700 mm, (8) rings of (15) high-intensity LEDs in (2) levels with parabolic reflector, blue (UN 65 approved), amber (UN 65 approved) or red light, multivoltage, wiring harness	1527,25
		Specify All Options System - Standard lengths: 800mm - 1400mm	
	P4-2S1N	Basic lightbar, standard length, (2) rings of (15) high-intensity LEDs in (1) level with parabolic reflector, blue (UN 65 approved), amber (UN 65 approved) or red light, multivoltage, wiring harness	589,38
	P4-2S2N	Basic lightbar, standard length, (4) rings of (15) high-intensity LEDs in (2) levels with parabolic reflector, blue (UN 65 approved), amber (UN 65 approved) or red light, multivoltage, wiring harness	896,88
	P4-4S1N	Basic lightbar, standard length, (4) rings of (15) high-intensity LEDs in (1) level with parabolic reflector, blue (UN 65 approved), amber (UN 65 approved) or red light, multivoltage, wiring harness	896,88
	P4-4S2N	Basic lightbar, standard length, (8) rings of (15) high-intensity LEDs in (2) levels with parabolic reflector, blue (UN 65 approved), amber (UN 65 approved) or red light, multivoltage, wiring harness	1614,38
		3000 Series	
		Specify All Options System - Standard lengths : 1000mm - 1400mm	
	P3000M	600 mm minilightbar, (2) 360° strobe heads, wiring harness. UN R65 approved	392,18
	P3000	(2) 360° Strobe heads, w/ power supply, wiring harness. UN R65 approved	464,99
	P3000/4E	(4) 360° Strobe heads, w/ power supply, wiring harness. UN R65 approved	540,63
		2000 Series	
		Specify All Options System - Standard lengths : 1000mm - 1400mm	
	P2000M	363 mm minilightbar, (2) belt-driven rotators, wiring harness. UN R65 approved	206,26
	P2000M SY	600 mm minilightbar, (2) synchronized belt-driven rotators, wiring harness. UN R65 approved	220,14
	P2000	(2) Belt-driven rotators, wiring harness. UN R65 approved	332,52
	P2000/4R SY	(4) Belt-driven rotators, wiring harness. UN R65 approved	452,25
		Options for 4000 Sputnik, 3000 and 2000 Series	
		Supplement for lengths	
	A-SUPL/A1	Supplement for lengths between 1500 and 1600 mm	23,63
	A-SUPL/A2	Supplement for lengths between 1700 and 1800 mm	54,68
		** (Flat mount kit included in price. Other mounts purchased separately)	

Reference	Model	Description	List Price € 2011
		Lighting Options	
	A-R1	(1) Rotator central section, H1 halogen lamp	62,59
	A-FF	(2) Takedown lights, H1 halogen lamp	51,51
	A-FL	(2) Alley lights, H3 halogen lamp	63,71
	A-WL	(2) Rear work light, H1 halogen lamp	51,51
	A-LF/B SPK	(2) Sputnik LED module, high intensity and low consumption, steady burn mode, blue colour	188,34
	A-LF/A SPK	(2) Sputnik LED module, high intensity and low consumption, steady burn mode, amber colour	107,63
	A-LF/R SPK	(2) Sputnik LED module, high intensity and low consumption, steady burn mode, red colour	107,63
	A-LF3/B SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, steady burn mode, blue	223,00
	A-LF3/A SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, steady burn mode, amber	144,26
	A-LF3/R SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, steady burn mode, red	144,26
	A-LI/B SPK	(2) Sputnik LED module, high intensity and low consumption, flashing mode, blue colour	228,71
	A-LI/A SPK	(2) Sputnik LED module, high intensity and low consumption, flashing mode, amber colour	147,99
	A-LI/R SPK	(2) Sputnik LED module, high intensity and low consumption, flashing mode, red colour	147,99
	A-LI3/B SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, flashing mode, blue	270,78
	A-LI3/A SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, flashing mode, amber	198,35
	A-LI3/R SPK	(2) Sputnik LED (3W) modules, high intensity and low consumption, flashing mode, red	198,35
NEW!	A-BTT/LED	(2) Brake/Tail/Turn lights LED	207,18
	A-SML1/A-I	(2) SML1, halogen lights, w/ flasher, amber	80,44
	A-SML1/R-I	(2) SML1, halogen lights, w/ flasher, red	80,44
	A-SML1/A	(2) SML1, halogen lights, w/o flasher, amber	49,64
	A-SML1/R	(2) SML1, halogen lights, w/o flasher, red	49,64
	A-ESP	(2) Mirrors	17,78
		Lighted Signs	
	A-CIO	(1) Lighted opal sign w optional message	46,99
	A-AD	(2) Adhesive messages for lighted sign	86,28
		SignalMaster	
	A-H6KS	SignalMaster, directional lighting system, (6) halogen lights, w/ controller, amber	461,13
	A-H8KS	SignalMaster, directional lighting system, (8) halogen lights, w/ controller, amber	513,57
	A-S6/A-R	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w/o controller, specify colour red or amber	345,74
	A-S6/B	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w/o controller, blue	449,47
	A-S8/A-R	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w/o controller, specify colour red or amber	468,17
	A-S8/B	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w/o controller, blue	608,62
	A-S6KS/A-R	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w controller, specify colour red or amber	524,68
	A-S6KS/B	SignalMaster Sputnik, directional lighting system, (6) Sputnik LED modules, w controller, blue	682,08
	A-S8KS/A-R	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w controller, specify colour red or amber	632,30
	A-S8KS/B	SignalMaster Sputnik, directional lighting system, (8) Sputnik LED modules, w controller, blue	821,99
		** (Control purchased separately. See Signalmaster controllers or Integrated Control Systems ICS)	
		Mount Accesories	
8234087	A-FP/PA	Permanent mounting bracket, high	49,96
8234105	A-FP/PB	Permanent mounting bracket, low	49,96
8234104	A-FT	Hook-on mounting kit (hook-on not included)	54,60
8234136	A-FDT	Flat Mount (not recommended in lightbars w/ roof connector)	11,04
8234148	A-FMG	Magnetic mount, 4000/3000/2000 minilightbars Series	44,47
	MCH	Cigarette plug	14,49

Reference	Model	Description	List Price € 2011
	A-CT19	Roof connector, 19-ways	70,21
	A-CT23	Roof connector, 23-ways	92,25
		TURBOBEAM Series	
		Specify All Options System - Standard lengths : 870mm - 1670mm	
TB-CM		(1) Central Module	31,86
TB-MC		(1) Central Module for Lighted Sign	43,80
TB-ROT		(1) Belt-driven Rotator	43,27
TB-ROT2		(2) Belt-driven Rotators	86,28
TB-ROT4		(4) Belt-driven Rotators	172,29
TB-WK-12		(2) Work Lights, 55W, 12V	54,69
TB-WK-24		(2) Work Lights, 70W, 24V	74,07
TB-MIR		(1) Diamond Mirror	12,21
TB-BTT		(2) Brake/ Turn/ Tail Lights	83,09
501430		FMK-A Lightbar flat mount kit	30,00
		Turbo Beam PLUS (Preselected Models with permanent mount included)	
591104BD		870mm 3Rot, 2 mirror, 12V	328,92
591126BD		870mm, 3Rot, 2 mirror, 24V	328,92
591125BD		870mm, 2Rot, Illuminated center sign (480mm), 12V	309,01
591150BD		870mm, 2 Rot, Illuminated center sign (480mm), 24 V	306,62
591106BD		1030mm 2Rot, Illuminated center sign (640 mm), 12V, E-approved	352,82
591107BD		1030mm 2Rot, Illuminated center sign (640 mm), 24V, E-approved	352,82
591137BD		1030mm, 2 Rot, 12V, E-approved	305,03
591151BD		1030mm, 2 Rot, 4 Worklights, 12V	412,28
591145BD		1030mm, 2 Rot, Work lights, 12V, E-approved	359,72
591149BD		1030mm, 2 Rot, Work lights, Illuminated center sign (320mm), 12V	381,22
591131BD		1030mm, 2Rot, 2 mirror, Illuminated center sign (320mm), 12V	341,14
591140SBD		1030mm, 4 Rot, 12V, E-approved	389,45
591152BD		1030mm, 4 Rot, 2 Mirrors, 24V	401,66
591165SBD		1030mm, 4 Rot, Illuminated center sign (320mm), 24V	413,34
591136SBD		1030mm, 4 Rot, Illuminated center sign (320mm), 12V	413,34
591141BD		1200mm, 2 Rot, Work lights, 12V, E-approved	389,72
591159BD		1200mm, 2 Rot, Work lights, Illuminated center sign (480mm), 12V	423,17
591157BD		1200mm, 2 Rot, Worklights, BTT-lights, 12V	363,17
591156BD		1200mm, 2 Rot, Worklights, BTT-lights, 24V	363,17
591123BD		1200mm, 2 Rot, 12V	335,03
591133BD		1200mm, 2 Rot, 24V	335,03
591120BD		1200mm, 2 Rot, 2 mirror, Illuminated center sign (480mm), 12V	383,08
591121BD		1200mm, 2 Rot, 2 mirror, Illuminated center sign (480mm), 24V	383,08
591109BD		1200mm, 2 Rot, Illuminated center sign (800mm), 12V, E-approved	394,76
591111BD		1200mm, 2 Rot, Illuminated center sign (800mm), 24V, E-approved	394,76
591108BD		1200mm, 4 Rot, 3 mirror, 12V	394,76
591110BD		1200mm, 4 Rot, 3 mirror, 24V	394,76
591134SBD		1200mm, 4 Rot, Illuminated center sign (480mm), 12V	457,15
591135SBD		1200mm, 4 Rot, Illuminated center sign (480mm), 24V	457,15
591143BD		1350mm 2 Rot, Illuminated center (960mm), 24V, E-approved	438,30
591148BD		1350mm, 2 Rot, 2 mirrors, 12V	376,71
591164BD		1350mm, 2 Rot, 2 mirrors, Illuminated center sign (640mm), 12V	432,19
591142BD		1350mm, 2 Rot, Illuminated center (960mm), 12V, E-approved	439,36
591128BD		1350mm, 2 Rot, 2 Work lights, Illuminated center sign (640mm), 12V	468,83
591129BD		1350mm, 2 Rot, 2 Work lights, Illuminated center sign (640mm), 24V	488,21
591169SBD		1350mm, 4 Rot, 12V	452,90
591172BD		1350mm, 4 Rot, 4 mirrors, 12V	500,95
591160BD		1350mm, 4 Rot, 4 mirrors, 24V	477,59
591147BD		1350mm, 4 Rot, Illuminated center sign (320mm), BTT lights, 12V	559,89
591168SBD		1350mm, 4 Rot, Work lights, 2 mirrors, 12V	519,53
591113BD		1350mm, 4 Rot, 2 mirror, Illuminated center sign (320mm), 12V	489,00
591115BD		1350mm, 4 Rot, 2 mirror, Illuminated center sign (320mm), 24V	489,00
591112SBD		1350mm, 4 Rot, Illuminated center sign (640mm), 12V, E-approved	501,22
591114SBD		1350mm, 4 Rot, Illuminated center sign (640mm), 24V, E-approved	501,75
591153BD		1510mm, 2 Rot, 2 mirrors, Illuminated center sign (480mm), 24V	444,14
591155BD		1510mm, 2 Rot, Illuminated center sign (1120mm), 24V	479,45

Reference	Model	Description	List Price € 2011
591163BD		1510mm, 2 Rot, Worklights, BTT-lights, Ill. center sign (408mm), 24V	588,82
591162BD		1510mm, 2 Rot, Worklights, Illuminated center sign (800mm), 24V	445,73
591127BD		1510mm, 2 Rot, 2 mirror, Illuminated center sign (800mm), 24V	471,22
591178SBD		1510mm, 4 Rot, Illuminated centre sign (800mm), 12V NEW LENS	471,22
591144SBD		1510mm, 4 Rot, Work lights, 24V, E-approved	558,56
591130BD		1510mm, 4 Rot, 2 mirror, Illuminated center sign (480mm), 12V	532,54
591132BD		1510mm, 4 Rot, 2 mirror, Illuminated center sign (480mm), 24V	532,54
591124SBD		1510mm, 4 Rot, 24V	484,76
591117SBD		1510mm, 4 Rot, Illuminated center sign (800mm), 24V, E-approved	544,22
591122BD		1510mm, 5 Rot, 4 mirror, 12V	552,45
591116BD		1510mm, 5 Rot, 4 mirror, 24V	552,45
591161BD		1670mm, 2 Rot, 24V	427,95
591171BD		1670mm, 2 Rot, Work lights, 24V	484,76
591154BD		1670mm, 2 Rot, Work lights, Illuminated center sign (960mm), 12V	608,20
591119BD		1670mm, 2 Rot, 2 mirror, Illuminated center sign (960mm), 24V	513,43
591167SBD		1670mm, 4 Rot, 24V	516,61
591170SBD		1670mm, 4 Rot, Illuminated center sign (640mm), 24V	563,87
591166SBD		1670mm, 4 Rot, Illuminated center sign (960mm), 24V	587,76
591138SBD		1670mm, 4 Rot., Ill. center sign (320mm), Work lights, 2 mirrors, 24V	626,26
591139BD		1670mm, 4 Rot., Ill. center sign (960mm), Work lights, 24V, E-approved	575,55
591173BD		1670mm, 6 Rot, 4 mirrors, 24V	635,28
591118BD		1670mm; 4 Rot, 2 mirror, Illuminated center sign (640mm), 24V	576,08
		MINI LIGHTBARS	
		HIGHLIGHTER LED Series	
		Magnetic mount	
454200-03		Mini-lightbar, LED HighLighter, blue LEDs, blue lens, suction/magnetic mount, cigarette lighter plug with on/off switch, 12V	458,18
454200-24-03		Mini-lightbar, LED HighLighter, blue LEDs, blue lens, suction/magnetic mount, cigarette lighter plug with on/off switch, 24V	458,18
454200-35		Mini-lightbar, LED HighLighter, blue LEDs, clear lens, suction/magnetic mount, cigarette lighter plug with on/off switch, 12V	458,18
454200-24-35		Mini-lightbar, LED HighLighter, blue LEDs, clear lens, suction/magnetic mount, cigarette lighter plug with on/off switch, 24V	458,18
454200-04		Mini-lightbar, LED HighLighter, red LEDs, red lens, suction/magnetic mount, cigarette lighter plug with on/off switch, 12V	458,18
454200-24-04		Mini-lightbar, LED HighLighter, red LEDs, red lens, suction/magnetic mount, cigarette lighter plug with on/off switch, 24V	458,18
454200-02		Mini-lightbar, LED HighLighter, amber LEDs, amber lens, suction/magnetic mount, cigarette lighter plug with on/off switch, 12V	458,18
454200-25		Mini-lightbar, LED HighLighter, amber LEDs, clear lens, suction/magnetic mount, cigarette lighter plug with on/off switch, 12V	458,18
454200-24-02		Mini-lightbar, LED HighLighter, amber LEDs, amber lens, suction/magnetic mount, cigarette lighter plug with on/off switch, 24V	458,18
454200-24-25		Mini-lightbar, LED HighLighter, amber LEDs, clear lens, suction/magnetic mount, cigarette lighter plug with on/off switch, 24V	458,18
		Permanent mount	
454201-03		Mini-lightbar, LED HighLighter, blue LEDs, blue lens, permanent mount, 12V	422,81
454201-24-03		Mini-lightbar, LED HighLighter, blue LEDs, blue lens, permanent mount, 24V	422,81
454201-35		Mini-lightbar, LED HighLighter, blue LEDs, clear lens, permanent mount, 12V	422,81
454201-24-35		Mini-lightbar, LED HighLighter, blue LEDs, clear lens, permanent mount, 24V	422,81
454201-04		Mini-lightbar, LED HighLighter, red LEDs, red lens, permanent mount, 12V	422,81
454201-24-04		Mini-lightbar, LED HighLighter, red LEDs, red lens, permanent mount, 24V	422,81
454201-02		Mini-lightbar, LED HighLighter, amber LEDs, amber lens, permanent mount, 12V	422,81
454201-25		Mini-lightbar, LED HighLighter, amber LEDs, clear lens, permanent mount, 12V	422,81
454201-24-02		Mini-lightbar, LED HighLighter, amber LEDs, amber lens, permanent mount, 24V	422,81
454201-24-25		Mini-lightbar, LED HighLighter, amber LEDs, clear lens, permanent mount, 24V	422,81
		<i>**(Other models available, please contact our Sales department)</i>	

Reference	Model	Description	List Price € 2011
		Accessories	
454218		Flat mounting kit	23,58
454220		Pattern select switch kit (for all Highlighter LED models)	49,20
		HIGHLIGHTER HALOGEN Series	
HL-012		Highlighter, 2 Rot., 12V, Perm. Mount, E-approved	149,99
HL-024		Highlighter, 2 Rot., 24V, Perm. Mount, E-approved	152,12
450142		Highlighter, 2 Rot., 12V, Magn. Mount, E-approved	173,89
		LED BEACONS	
		LM500 Solaris Series	
2003022	LM500	Solaris LED warning light with integrated 30W siren. Cigarette plug w/ 3 positions for light and siren control, 12V. UN R65 Approval T Category	512,50
		LM300 SPUTNIK Series	
2002351	LM300-B	LED warning light with batteries, 10 Sputnik LEDs, high-intensity, low-consumption, blue light, magnetic mount and cigarette plug, 12V. UN R65 Approval T Category	404,88
2002353	LM300-A	LED warning light with batteries, 10 Sputnik LEDs, high-intensity, low-consumption, amber light, magnetic mount and cigarette plug, 12V	404,88
2002386	LM300-R	LED warning light with batteries, 10 Sputnik LEDs, high-intensity, low-consumption, red light, magnetic mount and cigarette plug, 12V	404,88
2002387	LM300-G	LED warning light with batteries, 10 Sputnik LEDs, high-intensity, low-consumption, green light, magnetic mount and cigarette plug, 12V	404,88
2003015	LM310-B	LED warning light with batteries, 10 Sputnik LEDs, high-intensity, low-consumption, blue light, magnetic mount, cigarette plug and security strap with retention system, 12V. UN R65 Approval T Category	404,88
		Accessorie	
2006027	LM300-SFL	Lamp failure sensor, L 300 and L 310 accessory	48,26
		LM400 / LP400 Series Solaris	
		Magnet mounting:	
2002389	LM400SL	LED beacon, (1) flash pattern, (1) parabolic reflector with 15 LEDs, latest generation, high luminosity, blue LEDs, magnetic mounting and cigarette lighter plug, 12V, R-65 approved	230,63
2002392	LM400SL	LED beacon, (1) flash pattern, (1) parabolic reflector with 15 LEDs latest generation, high luminosity, amber LEDs, clear lens, magnetic mounting and cigarette lighter plug, 12V	230,63
2002391	LM400SL	LED beacon, (1) flash pattern, (1) parabolic reflector with 15 LEDs, latest generation, high luminosity, red LEDs, clear lens, magnetic mounting and cigarette lighter plug, 12V	230,63
2002397	LM400SL	LED beacon, (1) flash pattern, (1) parabolic reflector with 15 LEDs, latest generation, high luminosity, green LEDs, clear lens, magnetic mounting and cigarette lighter plug, 12V	230,63
2003017	LM400SL	LED beacon, (2) flash pattern (rotator/flash), (1) parabolic reflector with 15 LEDs, latest generation, high luminosity, blue LEDs, magnetic mounting and cigarette lighter plug, 10-30V, R-65 approved	251,13
2003018	LM400SL	LED beacon, (2) flash pattern, (1) parabolic reflector with 15 LEDs, latest generation, high luminosity, amber LEDs, amber lens, magnetic mounting and cigarette lighter plug, 10-30V, R-65 approved	251,13
2003020	LM400SL	LED beacon, (2) levels of light intensity (day/night), (1) parabolic reflector with 15 LEDs, latest generation, high luminosity, blue LEDs, magnetic mounting and cigarette lighter plug, 10-30V, R65 class 2 approved	251,13
		Permanent mount:	
2002390	LP400SL	LED beacon, (1) flash pattern, (1) parabolic reflector with 15 LEDs, latest generation, high luminosity, blue LEDs, permanent mount, 12V, R-65 approved	179,38
2002393	LP400SL	LED beacon, (1) flash pattern, (1) parabolic reflector with 15 LEDs, latest generation, high luminosity, amber LEDs, clear lens, permanent mount, 12V	179,38

Reference	Model	Description	List Price € 2011
2002394	LP400SL	LED beacon, (1) flash pattern, (1) parabolic reflector with 15 LEDs, latest generation, high luminosity, red LEDs, clear lens, permanent mount, 12V	179,38
2003016	LP400SL	LED beacon, (8) flash patterns, (1) parabolic reflector with 15 LEDs, latest generation, high luminosity, blue LEDs, blue lens, permanent mount, 10-30V, R-65 approved	199,88
2003019	LP400SL	LED beacon, (8) flash pattern, (1) parabolic reflector with 15 LEDs, latest generation, high luminosity, amber LEDs, amber lens, permanent mount, 10-30V, R-65 approved	199,88
2003029	LP400SL	LED beacon, (2) levels of light intensity (day/night), (1) parabolic reflector with 15 LEDs, latest generation, high luminosity, blue LEDs, permanent mount, 12V, R65 class 2 approved	199,88
2003030	LP400SL	LED beacon, (8) flash patterns, (1) parabolic reflector with 15 LEDs, latest generation, high luminosity, red LEDs, red lens, permanent mount, 10-30V	199,88
		PILOT	
		Pilot Solaris	
2010472	PILOT SL	PILOT SL (1) level, 15 high-intensity LEDs with parabolic reflector, high intensity, blue LEDs, permanent mount, multivoltage. R65 Approved	235,76
2010473	PILOT SL	PILOT SL (1) level, 15 high-intensity LEDs with parabolic reflector, high intensity, amber LEDs, permanent mount, multivoltage. R65 Approved	235,75
2010471	PILOT SL	PILOT SL (1) level, 15 high-intensity LEDs with parabolic reflector, high intensity, red LEDs, permanent mount, multivoltage.	235,75
2010492	PILOT SL	PILOT SL (2) level, 15+15 high-intensity LEDs with parabolic reflector, (2) levels of light intensity (day/night), blue LEDs, permanent mount, multivoltage. R65 Approved Class 2	369,00
2010491	PILOT SL	PILOT SL (2) level, 15+15 high-intensity LEDs with parabolic reflector, high intensity, amber LEDs, permanent mount, multivoltage.	369,00
2010493	PILOT SL	PILOT SL (2) level, 15+15 high-intensity LEDs with parabolic reflector, high intensity, red LEDs, permanent mount, multivoltage.	369,00
2010541	PILOT SL	PILOT SL (2) level, 15+15 high-intensity LEDs with parabolic reflector, high intensity, blue and amber LEDs, permanent mount, multivoltage. R65 Approved (both colours)	369,00
		Pilot Search Light	
2010497	PILOT FB	PILOT FB, 55W search light, home position feature, permanent mount, control head with spiral cable, 12V	470,42
		Accessory	
8232387		Adaptor base mount on DIN tube to ISO4148 standard	20,28
9133980		Adaptor base joint	5,25
9133997		Adaptor base joint for slopy surfaces (angles up to 4°)	5,25
NEW! 448330		Branch Guard kit for Sentry / Visibeam / Pilot series	48,32
		TRIDENT II	
		Trident II Solaris	
2010476	TRIDENT II SL	TRIDENT II SL (1) level, 15 high-intensity LEDs with parabolic reflector, high intensity, blue LEDs, permanent mount, multivoltage. R65 Approved	245,00
2010475	TRIDENT II SL	TRIDENT II SL (1) level, 15 high-intensity LEDs with parabolic reflector, high intensity, amber LEDs, permanent mount, multivoltage. R65 Approved	245,00
2010474	TRIDENT II SL	TRIDENT II SL (1) level, 15 high-intensity LEDs with parabolic reflector, high intensity, red LEDs, permanent mount, multivoltage.	245,00
2010499	TRIDENT II SL	TRIDENT II SL (2) level, 15+15 high-intensity LEDs with parabolic reflector, (2) levels of light intensity (day/night), blue LEDs, permanent mount, multivoltage. R65 Approved Class 2	375,00
2010501	TRIDENT II SL	TRIDENT II SL (2) level, 15+15 high-intensity LEDs with parabolic reflector, high intensity, amber LEDs, permanent mount, multivoltage.	375,00
2010500	TRIDENT II SL	TRIDENT II SL (2) level, 15+15 high-intensity LEDs with parabolic reflector, high intensity, red LEDs, permanent mount, multivoltage.	375,00
		<i>* Base mouting kit for Trident II must ordered (see accesories).</i>	
		Trident II Search Light	
2010538	TRIDENT II FB	TRIDENT II, 55W search light, home position feature, permanent mount, 12V (remote control head must be ordere separately).	419,58
		<i>* Base mouting kit for Trident II must ordered (see accesories).</i>	
8216151	MC-TRIDENT II FB	Remote control head with spiral cable, 12V	61,59
		Accessories	
2010546	M-TRIDENT II	Base mouting kit for Trident II	25,70

Reference	Model	Description	List Price € 2011
		ULTRASTAR LED	
252650-02		UltraStar LED beacon, (10) flash patterns, permanent mount, 12-24V amber	263,62
252651-02		UltraStar LED beacon, (10) flash patterns, magnetic mount, 12-24V, amber	275,83
		Accessories	
8232706		DIN kit Pulsator/Ultrastar 6 -Led	27,27
		STROBE BEACONS	
		LE106 Series	
2002349	LE-106HE	Strobe beacon, double lens, permanent mount, blue, bitension. UN R65 approved	131,07
2002350	LE-106HE	Strobe beacon, double lens, permanent mount, amber, bitension. UN R65 approved	131,07
2002388	LE-106HE	Strobe beacon, double lens, permanent mount, red, bitension	131,07
2002314	LE-106DCH	Strobe beacon, double lens, 15J, failure detection, synchro, w/ power supply, permanent mount, blue, bitension. UN R65 approved	220,63
2002319	LE-106DCH	Strobe beacon, double lens, 15J, failure detection, synchro, w/ power supply, permanent mount, amber, bitension. UN R65 approved	220,63
2002312	LE-106CH	Strobe beacon, double lens, 15J, w/ power supply, permanent mount, blue, bitension. UN R65 approved	202,10
2002311	LE-106CH	Strobe beacon, double lens, 15J, w/ power supply, permanent mount, amber, bitension. UN R65 approved	202,10
2002337	LE-106CH/MAG	Strobe beacon, double lens, 15J, w/ power supply, magnetic mount, blue, bitension. UN R65 approved	268,43
2002338	LE-106CH/MAG	Strobe beacon, double lens, 15J, w/ power supply, magnetic mount, red, bitension	268,43
		Mount Accesories	
8232386	BD-106	DIN 14620 Mount kit, LE-106	20,28
9133996	AI-106	Adaptor ring for roof inclination, LE-106DCH	5,16
8232387	BD-015	Base adapter, DIN pipe mount ISO4148, LR-015 and LE-106HE	20,28
9133924	M-106	Adapler base joint for LE-106DCH on curved surfaces	2,94
9133981	M-106	Adapler base joint for LR-015 and LE-106HE on slopy surfaces (angles up to 4°)	2,86
9133997	AD-015	Adapler base joint for LR-015 and LE-106HE on slopy surfaces (angles up to 4°)	5,25
9133980	JB-015	Adapler base joint for LR-015 and LE-106HE	5,25
		MIDI Series LE330 / LE335	
2002325	LE-330	Strobe beacon, double lens, w/ power supply, magnetic mount and suction pad, cigarette plug, safety hook, blue, bitension. UN R65 approved	297,87
2002326	LE-330	Strobe beacon, double lens, w/ power supply, magnetic mount and suction pad, cigarette plug, safety hook, amber, bitension. UN R65 approved	297,87
2002331	LE-330	Strobe beacon, double lens, w/ power supply, magnetic mount and suction pad, cigarette plug, safety hook, red, bitension	297,87
2002327	LE-335	Strobe beacon, double lens, permanent mount, blue, bitension. UN R65 approved	217,24
		PULSATOR	
211694		Pulsator 551, 8J, 120 single flashes, perm. mount , 12-24V UN R65 approved	104,86
211695		Pulsator 551, 8J, 120 single flashes, magnetic mount, 12-24V UN R65 approved	119,73
211697		Pulsator 551, 8J, 120 single flashes, perm. mount , 12-24V , gel potted UN R65 approved	125,05
		Accessories	
8232706		DIN kit Pulsator/Ultrastar 6 -Led	27,27
		PULSATOR PLUS SERIES	
		Pulsator models with 'potted' power supply	

Reference	Model	Description	List Price € 2011
211820		Pulsator Plus 551 HD, 10 J, double flash heavy duty strobe light, 12-48V	146,28
211823		Pulsator Plus 451 HD, 8 J, double flash heavy duty strobe light, 12-48V	140,17
		Accessories	
8232706		DIN kit Pulsator/UltraStar 6 -Led	27,27
		FIREBOLT	
220200		Firebolt Plus, 2J compact strobe light with permanent mounting, single flash 12-72V	77,25
220208		Firebolt Plus, 2J compact strobe light with magnetic mounting, single flash 12-72V	100,35
		RENEGADE	
462121		Renegade, 2,2 J 12-48V, permanent mount	89,47
462141		Renegade, 2,2 J, 12-48V, magnetic mount with cord	99,29
		HALOGEN BEACONS LR015 Series	
2001319	LR-015	150 FPM Belt-driven rotator beacon, 150mm, 55W halogen lamp, permanent mount, blue, 12V. UN R65 approved	79,36
2001321	LR-015	150 FPM Belt-driven rotator beacon, 150mm, 70W halogen lamp, permanent mount, blue, 24V. UN R65 approved	80,48
2001318	LR-015	150 RPM Belt-driven rotator beacon, 150mm, 55W halogen lamp, permanent mount, amber, 12V. UN R65 approved	79,36
2001320	LR-015	150 FPM Belt-driven rotator beacon, 150mm, 70W halogen lamp, permanent mount, amber, 24V. UN R65 approved	80,48
2001329	LR-015	150 FPM Belt-driven rotator beacon, 150mm, 55W halogen lamp, permanent mount, red, 24V	80,48
		Mount Accesories	
8232387	BD-015	Base adapter, DIN pipe mount ISO4148, LR-015 and LE-106HE	20,28
9133981	M-106	Adapter base ring for LR-015 and LE-106HE on slopy surfaces (angles up to 4°)	2,86
9133997	AD-015	Adapter base joint for LR-015 and LE-106HE on slopy surfaces (angles up to 4°)	5,25
9133980	JB-015	Adapter base joint for LR-015 and LE-106HE	5,25
		MIDI Series LR025	
2005224	LR-025	150 FPM Rotating halogen beacon, H3 55W, telescopic pole, blue, 12V. UN R65 approved	191,19
2005241	LR-025	150 FPM Rotating halogen beacon, H3 55W, telescopic pole, red, 12V	191,19
		Mount Accesories	
8216098	BA-6	Kit (2) silent blocks for telescopic pole LR-025	95,00
		FIREBEAM	
2001306	FB3MEF	95 FPM Rotating light, magnetic mount, cigarette plug, CIE blue, 12V	95,34
FB3MEF	FB3MEF-A	175 FPM Rotating light, magnetic mount, cigarette plug, amber, 12V	96,37
		ELLIPSE Series	
		Energy saving 23W bulb!	
NEW!	21.44.HM0.012	Ellipse magnetic beacon, amber, 12V (bulb supplied) UN R65 approved	38,78
NEW!	21.44.HM0.025	Ellipse magnetic beacon, amber, 12/24V (both bulbs supplied) UN R65 approved	40,32
NEW!	21.44.H00.012	Ellipse flexible DIN beacon, amber, 12V (bulb supplied) UN R65 approved	31,72
NEW!	21.44.H00.025	Ellipse flexible DIN beacon, amber, 12/24V (both bulbs supplied) UN R65 approved	33,68

Reference	Model	Description	List Price € 2011
SUPPLEMENTAL WARNING LIGHTS			
LED LIGHTS			
MICROLED PLUS SPUTNIK Series			
Spreader lens models			
2010419	MicroLed Plus	MicroLed Plus, Sputnik LED directional light, blue light, blue lens, w/o flasher, multivoltage. UN R65 approved	145,00
2010420	MicroLed Plus	MicroLed Plus, Sputnik LED directional light, blue light, clear lens, w/o flasher, multivoltage. UN R65 approved	145,00
2010421	MicroLed Plus	MicroLed Plus, Sputnik LED directional light, white light, amber lens, w/o flasher, multivoltage. UN R65 approved	145,00
2010422	MicroLed Plus	MicroLed Plus, Sputnik LED directional light, amber light, clear lens, w/o flasher, multivoltage	145,00
2010423	MicroLed Plus	MicroLed Plus, Sputnik LED directional light, red light, red lens, w/o flasher, multivoltage	145,00
2010424	MicroLed Plus	MicroLed Plus, Sputnik LED directional light, red light, clear lens, w/o flasher, multivoltage	145,00
2010520	MicroLed Plus	MicroLed Plus interior or scene light, white light, clear spreader lens, multivoltage	145,00
Smooth lens models			
2010427	MicroLed Plus	MicroLed Plus, Sputnik LED directional light, blue light, blue lens, w/o flasher, multivoltage	145,00
2010428	MicroLed Plus	MicroLed Plus, Sputnik LED directional light, blue light, clear lens, w/o flasher, multivoltage	145,00
2010425	MicroLed Plus	MicroLed Plus, Sputnik LED directional light, white light, amber lens, w/o flasher, multivoltage	145,00
2010426	MicroLed Plus	MicroLed Plus, Sputnik LED directional light, amber light, clear lens, w/o flasher, multivoltage	145,00
2010429	MicroLed Plus	MicroLed Plus, Sputnik LED directional light, red light, red lens, w/o flasher, multivoltage	145,00
2010430	MicroLed Plus	MicroLed Plus, Sputnik LED directional light, red light, clear lens, w/o flasher, multivoltage	145,00
2010521	MicroLed Plus	MicroLed Plus interior or scene light, white light, clear smooth lens, multivoltage	145,00
MicroLED Plus-V - vertical mount			
2010433	MicroLed Plus	MicroLed Plus-V, Sputnik LED directional light, blue light, blue lens, w/o flasher, multivoltage. UN R65 approved	145,00
2010434	MicroLed Plus	MicroLed Plus-V, Sputnik LED directional light, blue light, clear lens, w/o flasher, multivoltage. UN R65 approved	145,00
2010431	MicroLed Plus	MicroLed Plus-V, Sputnik LED directional light, white light, amber lens, w/o flasher, multivoltage. UN R65 approved	145,00
2010432	MicroLed Plus	MicroLed Plus-V, Sputnik LED directional light, amber light, clear lens, w/o flasher, multivoltage	145,00
2010435	MicroLed Plus	MicroLed Plus-V, Sputnik LED directional light, red light, red lens, w/o flasher, multivoltage	145,00
2010436	MicroLed Plus	MicroLed Plus-V, Sputnik LED directional light, red light, clear lens, w/o flasher, multivoltage	145,00
Installation Accesories			
2006035	MLP-F4	External flasher for MicroLed Plus, (8) flash patterns (UN R65 flash included), multivoltage	60,00
2006030	MLP-F8	External flasher for (8) lights, (8) flash patterns (UN R65 flash included), multivoltage	75,00
Mount Accesories			
2010437	MLP-SUP	Surface mount kit, (1) joint, MicroLed Plus	5,00
2010438	MLP-EMP	Flush mount kit, (1) joint, MicroLed Plus	5,00
MICROLED PLUS R65 Class 2 Series			
Horizontal Installation			
2010511	MicroLed Plus CL2	(2) levels of light intensity (day/night), blue light, blue spreader lens, UN R65 approved class 2, multivoltage	145,00
2010512	MicroLed Plus CL2	(2) levels of light intensity (day/night), blue light, clear spreader lens, UN R65 approved class 2, multivoltage	145,00
Flasher R65 Class 2			

Reference	Model	Description	List Price € 2011	
2006031	MLP-F8 CL2	Flasher, 8 MicroLed Plus C2 lights, multivoltage	75,00	
		Mount Accesories		
2010437	MLP-SUP	Surface mount kit, (1) joint, MicroLed Plus	5,00	
2010438	MLP-EMP	Flush mount kit, (1) joint, MicroLed Plus	5,00	
		MICROLED Plus 3LD Series		
		Horizontal Installation w/flasher		
2010508	MicroLed Plus 3LD	LED directional light, blue light, blue lens, w/ flasher, 12V. UN R65 approved	120,00	
2010509	MicroLed Plus 3LD	LED directional light, white light, amber lens, w/ flasher, 12V. UN R65 approved	120,00	
2010510	MicroLed Plus 3LD	LED directional light, red light, red lens, w/ flasher, 12V. UN R65 approved	120,00	
		Horizontal Installation w/o flasher		
NEW!	2010534	MicroLed Plus 3LD	LED directional light, blue light, blue lens, w/o flasher, 12V. UN R65 approved	120,00
NEW!	2010535	MicroLed Plus 3LD	LED directional light, white light, amber lens, w/o flasher, 12V. UN R65 approved	120,00
NEW!	2010536	MicroLed Plus 3LD	LED directional light, red light, red lens, w/o flasher, 12V. UN R65 approved	120,00
		Installation Accesories		
2006035	MLP-F4	External flasher for MicroLed Plus, (8) flash patterns (UN R65 flash included), multivoltage	60,00	
2006030	MLP-F8	External flasher for (8) lights, (8) flash patterns (UN R65 flash included), multivoltage	75,00	
		Mount Accesories		
2010437	MLP-SUP	Surface mount kit, (1) joint, MicroLed Plus	5,00	
2010438	MLP-EMP	Flush mount kit, (1) joint, MicroLed Plus	5,00	
		MICROLED SPUTNIK Series		
		Smooth Lens		
2010326	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, blue light, w/flasher, blue smooth lens, 12V	65,00	
2010313	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, blue light, w/flasher, blue smooth lens, 24V	65,00	
2010305	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, blue light, w/flasher, clear smooth lens, 12V	65,00	
2010327	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, blue light, w/flasher, clear smooth lens, 24V	65,00	
2010415	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, white light, w/flasher, clear smooth lens, 12V	65,00	
2010392	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, white light, w/flasher, clear smooth lens, 24V	65,00	
2010318	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, amber light, w/flasher, amber smooth lens, 12V	60,00	
2010319	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, amber light, w/flasher, amber smooth lens, 24V	60,00	
2010333	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, amber light, w/flasher, clear smooth lens, 12V	60,00	
2010334	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, amber light, w/flasher, clear smooth lens, 24V	60,00	
2010322	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, red light, w/flasher, red smooth lens, 12V	60,00	
2010323	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, red light, w/flasher, red smooth lens, 24V	60,00	
2010329	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, red light, w/flasher, clear smooth lens, 12V	60,00	
2010330	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, red light, w/flasher, clear smooth lens, 24V	60,00	
2010316	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, green light, w/flasher, clear smooth lens, 12V	60,00	
2010317	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, green light, w/flasher, clear smooth lens, 24V	60,00	

Reference	Model	Description	List Price € 2011
		Fresnel V15 Lens	
2010314	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, blue light, w/flasher, blue fresnel V15 lens, 12V	65,00
2010337	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, blue light, w/flasher, blue fresnel V15 lens, 24V	65,00
2010315	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, blue light, w/flasher, clear fresnel V15 lens, 12V	65,00
2010328	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, blue light, w/flasher, clear fresnel V15 lens, 24V	65,00
2010320	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, amber light, w/flasher, amber fresnel V15 lens, 12V	60,00
2010321	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, amber light, w/flasher, amber fresnel V15 lens, 24V	60,00
2010335	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, amber light, w/flasher, clear fresnel V15 lens, 12V	60,00
2010336	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, amber light, w/flasher, clear fresnel V15 lens, 24V	60,00
2010324	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, red light, w/flasher, red fresnel V15 lens, 12V	60,00
2010325	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, red light, w/flasher, red fresnel V15 lens, 24V	60,00
2010331	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, red light, w/flasher, clear fresnel V15 lens, 12V	60,00
2010332	MicroLed Sputnik	Sputnik LED directional light, (master/slave), (3) LEDs of 2W, red light, w/flasher, clear fresnel V15 lens, 24V	60,00
		Mount Accesories	
2010230	ML-SUP	Surface mount kit, (2) joints, (surface mount)	5,75
2010231	ML-EMP	Flush mount kit, (2) joints, (flush mount)	6,07
2010276	ML-WND	Bracket windshield permanent mount, MicroLed (suction pad mount)	92,25
2010279	ML-PT	L Bracket for permanent mounting	16,50
330505	ML-BC	Chrome bezel mounting bracket	40,00
		IMPAXX™ Series	
		Spreader lens	
IPX302-2	IMPAXX	Impaxx Solaris, perimeter light, amber LEDs and amber lens, w/integr. flasher, 12V	89,18
IPX300-2	IMPAXX	Impaxx Solaris, perimeter light, amber LEDs and clear lens, w/integr. flasher, 12V	89,18
IPX302-3	IMPAXX	Impaxx Solaris, perimeter light, blue LEDs and blue lens, w/integr. flasher, 12V	89,18
IPX300-3	IMPAXX	Impaxx Solaris, perimeter light, blue LEDs and clear lens, w/integr. flasher, 12V	89,18
IPX302-4	IMPAXX	Impaxx Solaris, perimeter light, red LEDs and red lens, w/integr. flasher, 12V	89,18
IPX300-4	IMPAXX	Impaxx Solaris, perimeter light, red LEDs and clear lens, w/integr. flasher, 12V	89,18
IPX300-5	IMPAXX	Impaxx Solaris, perimeter light, white LEDs and clear lens, w/integr. flasher, 12V	89,18
		Smooth lens	
IPX312-2	IMPAXX	Impaxx Solaris, perimeter light, amber LEDs and amber lens, w/integr. Flasher, 12V	89,18
IPX310-2	IMPAXX	Impaxx Solaris, perimeter light, amber LEDs and clear lens, w/integr. flasher, 12V	89,18
IPX312-3	IMPAXX	Impaxx Solaris, perimeter light, blue LEDs and blue lens, w/integr. flasher, 12V	89,18
IPX310-3	IMPAXX	Impaxx Solaris, perimeter light, blue LEDs and clear lens, w/integr. flasher, 12V	89,18
IPX310-4	IMPAXX	Impaxx Solaris, perimeter light, red LEDs and red lens, w/integr. flasher, 12V	89,18
IPX312-4	IMPAXX	Impaxx Solaris, perimeter light, red LEDs and clear lens, w/integr. flasher, 12V	89,18
IPX310-5	IMPAXX	Impaxx Solaris, perimeter light, white LEDs and clear lens, w/integr. flasher, 12V	89,18
		<i>*Black bezel and mounting grommet is included with every model</i>	
		Mount Accesories	
IPXM-1	IMPAXX	Chrome bezel	8,20

Reference	Model	Description	List Price € 2011
		VIPER EXT Series	
VPX-802-3	VPX	VIPER EXT, LEDs light, blue light, blue lens, w/ flasher, 12V	168,61
VPX-800-3	VPX	VIPER EXT, LEDs light, blue light, clear lens, w/ flasher, 12V	168,61
VPX-802-2	VPX	VIPER EXT, LEDs light, amber light, amber lens, w/ flasher, 12V	168,61
VPX-800-2	VPX	VIPER EXT, LEDs light, amber light, clear lens, w/ flasher, 12V	168,61
VPX-800-4	VPX	VIPER EXT, LEDs light, red light, red lens, w/ flasher, 12V	168,61
VPX-802-4	VPX	VIPER EXT, LEDs light, red light, clear lens, w/ flasher, 12V	168,61
VPX-800-5	VPX	VIPER EXT, LEDs light, white light, clear lens, w/ flasher, 12V	194,24
		Mount Accesories	
VPXM-1	VPX	Chrome bezel	8,20
		Motorcycle Kit LD350 / LD360 SPUTNIK and CO400 SOLARIS	
		LD350 Sputnik Front Light with flasher integrated	
2010477	LD350-D Sputnik	Sputnik LED directional light (right side), (5) LEDs, blue light, blue lens, cruise light, swivel mount, 12V UN R65 approved	180,00
2010478	LD350-I Sputnik	Sputnik LED directional light (left side), (5) LEDs, blue light, blue lens, cruise light, swivel mount, 12V UN R65 approved	180,00
NUEVO 2010481	LD350-D Sputnik	Sputnik LED directional light (right side), (5) LEDs, red light, red lens, cruise light, swivel mount, 12V	180,00
2010482	LD350-I Sputnik	Sputnik LED directional light (left side), (5) LEDs, red light, red lens, cruise light, swivel mount, 12V	180,00
NUEVO 2010479	LD350-D Sputnik	Sputnik LED directional light (right side), (5) LEDs, amber light, amber lens, cruise light, swivel mount, 12V	180,00
2010480	LD350-I Sputnik	Sputnik LED directional light (left side), (5) LEDs, amber light, amber lens, cruise light, swivel mount, 12V	180,00
2010483	LD360-D Sputnik	Sputnik LED directional light (right side), (4) LEDs blue light and (1) LED red light "Stop Light" function, swivel mount, 12V	180,00
2010484	LD360-I Sputnik	Sputnik LED directional light (left side), (4) LEDs blue light and (1) LED red light "Stop Light" function, swivel mount, 12V	180,00
		CO400 SOLARIS Telescopic Mast with flasher integrated	
2005388	CO400 Solaris	Omnidirectional Solaris LED head, telescopic pole mount in (3) sections, (15) LEDs, blue light, blue spreader lens, cruise light, 12V. UN R65 approved	315,00
2005389	CO400 Solaris	Omnidirectional Solaris LED head, telescopic pole mount in (3) sections, (15) LEDs, amber light, amber spreader lens, cruise light, 12V. UN R65 approved	315,00
2005390	CO400 Solaris	Omnidirectional Solaris LED head, telescopic pole mount in (3) sections, (15) LEDs, red light, clear spreader lens, cruise light, 12V	315,00
2005430	CO421 Solaris	Omnidirectional Solaris LED head, telescopic pole mount in (2) sections, (15) LEDs, blue light, blue spreader lens, cruise light, 12V. UN R65 approved	295,00
		Mount Accesories	
4004233-01	MC300 Sputnik	Motorcycle Control allows to control all the functions of lights and siren of the 300 Sputnik Series: priority warning lights (LD350/LD3600 Sputnik and CO400 Solaris, "Stop Light" function, cruise light and continuous siren	45,61
4004352	MC300/A Sputnik	Motorcycle Control allows to control all the functions of lights and siren of the 300 Sputnik Series: priority warning lights (LD350/LD3600 Sputnik and CO400 Solaris, "Stop Light" function, cruise light, continuous siren and power limiter	57,54
		CLD Series	
2010277	CLD/R	Sputnik Stop Light, (2) high intensity compact LED lights, red light, Control head with the following functions: on/off, flashing mode, automatic deactivation, manual deactivation by mean of handbrake and optional connection to one or two Microled, 12V	200,92
2010290	CLD-B/B	Sputnik directional LED set, (2) high intensity compact LED lights, blue light, Control head with on/off functions, 12V	221,71
2010291	CLD-B/A	Sputnik directional LED set, (2) high intensity compact LED lights, amber light, Control head with on/off functions, 12V	200,92
2010288	CLD-C/B	Sputnik directional LED set, (2) high intensity compact LED lights, blue light, Control box, 12V	221,71

Reference	Model	Description	List Price € 2011
2010379	CLD-C/A	Sputnik directional LED set, (2) high intensity compact LED lights, amber light, Control box, 12V	200,92
2010409	CLD-C/R	Sputnik directional LED set, (2) high intensity compact LED lights, red light, Control box, 12V	200,92
DUAL LED warning LED light for bikes			
2010517	DUAL-LED	Set for bikes formed by (2) LED lights, high intensity, blue-red light, switch on/off integrated in the wiring, 12V. <i>* Batteries not included.</i>	100,10
NEW! 2010552	DUAL-LED	Set for bikes formed by (2) LED lights, high intensity, white-red light, switch on/off integrated in the wiring, 12V. <i>* Batteries not included.</i>	100,10
QUADRAFLARE SPUTNIK			
2010456	Quadriflare Sputnik	Directional Sputnik LED light, blue LEDs, clear lens, multivoltage. UN R65 approved	158,88
2010455	Quadriflare Sputnik	Directional Sputnik LED light, blue LEDs, blue lens, multivoltage. UN R65 approved	158,88
2010457	Quadriflare Sputnik	Directional Sputnik LED light, amber LEDs, amber lens, multivoltage	158,88
2010458	Quadriflare Sputnik	Directional Sputnik LED light, amber LEDs, clear lens, multivoltage	158,88
2010459	Quadriflare Sputnik	Directional Sputnik LED light, red LEDs, red lens, multivoltage	158,88
2010460	Quadriflare Sputnik	Directional Sputnik LED light, red LEDs, clear lens, multivoltage	158,88
2010461	Quadriflare Sputnik	Directional Sputnik LED light, white LEDs, clear lens, multivoltage	172,20
2010462	Quadriflare Sputnik	Directional Sputnik LED light, green LEDs, clear lens, multivoltage	172,20
Installation Accessories			
2006035	MLP-F4	External flasher for (4) lights, (8) flash patterns (UN R65 flash included)	60,00
2006030	MLP-F8	External flasher for (8) lights, (8) flash patterns (UN R65 flash included), multivoltage	75,00
Mounts Accessories			
QL64MC	Quadriflare	Chrome bezel and mounting gasket	32,80
QL64MB	Quadriflare	Black bezel and mounting gasket	24,96
QUADRAFLARE SOLARIS 9x7			
QuadraFlare Solaris 9x7 with coloured lens and integrated flasher			
QL97XF-B	QuadraFlare 9x7	QuadraFlare Solaris 9x7, perimeter light, blue LEDs and blue lens, w/integr. flasher, 12V	285,98
QL97XF-A	QuadraFlare 9x7	QuadraFlare Solaris 9x7, perimeter light, amber LEDs and amber lens, w/integr. flasher, 12V	285,98
QL97XF-R	QuadraFlare 9x7	QuadraFlare Solaris 9x7, perimeter light, red LEDs and red lens, w/integr. flasher, 12V	285,98
QL97XF-G	QuadraFlare 9x7	QuadraFlare Solaris 9x7, perimeter light, green LEDs and green lens, w/integr. flasher, 12V	374,13
QuadraFlare Split Solaris 9x7 with coloured lens w/o integrated flasher			
QL97S-BB	QuadraFlare 9x7	QuadraFlare Solaris 9x7, perimeter light, blue LEDs and blue lens, w/integr. flasher, 12V	285,98
QL97S-AA	QuadraFlare 9x7	QuadraFlare Solaris 9x7, perimeter light, amber LEDs and amber lens, w/integr. flasher, 12V	285,98
QL97S-RR	QuadraFlare 9x7	QuadraFlare Solaris 9x7, perimeter light, red LEDs and red lens, w/integr. flasher, 12V	285,98
QL97S-GG	QuadraFlare 9x7	QuadraFlare Solaris 9x7, perimeter light, green LEDs and green lens, w/integr. flasher, 12V	374,13
QuadraFlare 9x7 with clear lens and integrated flasher			
QL97XFC-B	QuadraFlare 9x7	QuadraFlare Solaris 9x7, perimeter light, blue LEDs and clear lens, w/integr. flasher, 12V	285,98
QL97XFC-A	QuadraFlare 9x7	QuadraFlare Solaris 9x7, perimeter light, amber LEDs and clear lens, w/integr. flasher, 12V	285,98
QL97XFC-R	QuadraFlare 9x7	QuadraFlare Solaris 9x7, perimeter light, red LEDs and clear lens, w/integr. flasher, 12V	285,98
QL97XFC-G	QuadraFlare 9x7	QuadraFlare Solaris 9x7, perimeter light, green LEDs and clear lens, w/integr. flasher, 12V	374,13
QL97XFC-C	QuadraFlare 9x7	QuadraFlare Solaris 9x7, perimeter light, white LEDs and clear lens, w/integr. flasher, 12V	343,38
QuadraFlare Split Solaris 9x7 with clear lens w/o integrated flasher			

Reference	Model	Description	List Price € 2011
QL97SC-BB	QuadraFlare 9x7	QuadraFlare Solaris 9x7, perimeter light, blue LEDs and clear lens, wo/integr. flasher, 12V	285,98
QL97SC-AA	QuadraFlare 9x7	QuadraFlare Solaris 9x7, perimeter light, amber LEDs and clear lens, wo/integr. flasher, 12V	285,98
QL97SC-RR	QuadraFlare 9x7	QuadraFlare Solaris 9x7, perimeter light, red LEDs and clear lens, wo/integr. flasher, 12V	285,98
QL97SC-CC	QuadraFlare 9x7	QuadraFlare Solaris 9x7, perimeter light, white LEDs and clear lens, wo/integr. flasher, 12V	343,38
QL97SC-GG	QuadraFlare 9x7	QuadraFlare Solaris 9x7, perimeter light, green LEDs and clear lens, wo/integr. flasher, 12V	374,13
		QuadraFlare halogen scene light	
QL97HSCENE	QuadraFlare 9x7	Quadraflare 9X7 halogen scene light, 50W, clear lens, 12V	117,88
QL97LEDSCENE	QuadraFlare 9x7	Quadraflare 9X7 Solaris LED scene light, clear lens, 12V	353,63
		Mount accessories	
QL97MC	QuadraFlare 9x7	Trim bezel, chrome with gasket for QuadraFlare Solaris 9x7	54,33
QL97MB	QuadraFlare 9x7	Trim bezel, black with gasket for QuadraFlare Solaris 9x7	27,88
		SIGNALTECH LED	
		All lights are waterproof and are 100,000 hours of use , 5 year warranty	
		Flashing light kit have quad flash - CE approved	
		4" Models	
607122-04		4" Rectangle Side Marker W/ Mounting KIT, Red, bitension	12,21
607122-02		4" Rectangle Side Marker W/ Mounting KIT, Amber, bitension	12,21
607102-02		4" Round LED Turn light Kit, Amber, bitension	47,25
607123-02		4" Round LED Flashing Light Kit, Amber, bitension	77,25
607123-03		4" Round LED Flashing Light Kit, Blue, bitension	99,29
607112-02		4" Round LED Flashing Light with rubber swivel mount , amber	88,93
		5" Models	
607126-02		5" Round LED Flashing Light Kit, Amber, bitension	92,12
607126-04		5" Round LED Flashing Light Kit, Red, bitension	92,12
607127-02		5" Round LED Flashing Light with rubber swivel mount , amber	109,64
607127-04		5" Round LED Flashing Light with rubber swivel mount , Red	109,64
		6" Models	
607125-05		6" Oval LED Back Up Light Kit, White, bitension	121,85
607106-02		6" Oval LED Turn light Kit, Amber, bitension	44,60
607105-04		6" Oval LED STT Light Kit, Red, bitension	44,60
607101-02		6" Oval LED Flashing Light Kit, Amber, bitension	78,58
607101-04		6" Oval LED Flashing Light Kit, Red, bitension	78,58
		7" Models	
607904-02		7" Round LED Turn light Kit, Amber , low intensity option, bitension	130,61
		Accessories	
8620052A-95		4" round rubber housing, swivel mount	11,68
325046		5" round rubber housing, swivel mount	25,49
		STROBE LIGHTS	
		CD Series	
		SWIVEL MOUNT	
2005132	CD-200-A	Strobe head, 100 x 140mm, 90° horizontal coverage, swivel mount, amber	83,74
2005127	CD-200-B	Strobe head, 100 x 140mm, 90° horizontal coverage, swivel mount, blue, German K standard w/ power supply FA-520	83,74
2005246	CD-200/4-B	Strobe head, 100 x 140mm, 90° horizontal coverage, cruise light, (4) ways connector, swivel mount, blue	88,87
2005240	CD-200/C-B	Strobe head, 100 x 140mm, 90° horizontal coverage, cruise light, blue	88,87

Reference	Model	Description	List Price € 2011
2005198	CD-200/PM-B/GR	Strobe head, 100 x 140mm, 90° horizontal coverage, metal bracket, blue	95,86
		<i>** (only for instalation w/ FA Power Supply Series)</i>	
		OMNIDIRECIONAL STROBES	
		MIDI Series Telescopics	
2005156	CO-220HL/C-B	Omnidirectional strobe head, double lens, 35W, telescopic pole mount, pole in (3) sections, cruise light, fixation flange, blue. UN R65 approved	193,42
2005139	CO-220/C-R	Omnidirectional strobe head, double lens, 35W, telescopic pole mount, pole in (3) sections, cruise light, fixation flange, red	193,42
2005263	CO-220/C-G	Omnidirectional strobe head 35W double lens, telescopic pole mount, (3) main parts, cruise light, fixation flange, green	197,28
2005243	CO-221HL/C-B	Omnidirectional strobe head, double lens, 35W, telescopic pole mount, pole in (2) sections, cruise light, fixation flange, blue. UN R65 approved	170,15
2005160	CO-225HL/C-B	Omnidirectional strobe head 35W double lens, cruise light, swivel fixation, blue. UN R65 approved	104,69
		<i>** (Only for instalation w/ FA-Series Power Supplies. UN R65 approved w/ Power Supply FA-520)</i>	
		Mount Accesories	
8216098	BA-6	Kit silent blocks telescopic pole	95,00
		VEHICLE HEADLIGHT MOUNT	
		Corner LED	
CLED2A-BB	CORNER LED	(2) blue Single-head assemblies, mount inside the headlight, with flasher and cables	407,55
CLED2A-AA	CORNER LED	(2) amber Single-head assemblies, mount inside the headlight, with flasher and cables	407,55
CLED4A-BB	CORNER LED	(4) blue Single-head assemblies, mount inside the headlight, with flasher and cables	683,05
CLED4A-AA	CORNER LED	(4) amber Single-head assemblies, mount inside the headlight, with flasher and cables	683,05
		CS1 Corner Strobe	
5001047	CS1-C	Corner Strobe, strobe tube, 18" pigtail, clear	36,07
5001072	CS1-B	Corner Strobe, strobe tube, 18" pigtail, blue	53,56
CS1-A	CS1-A	Corner Strobe, strobe tube, 18" pigtail, amber	53,56
		<i>** (Combined w/ FSV Power Supply)</i>	
		POWER SUPPLIES	
		FA Serie	
2004071	FA-540/E	35W Power supply, 2-Channels, (4) outputs, quad flash, splash-proof, bitension	213,54
2004080	FA-540/E HL	35W Power supply, 1-Channel, (2) outputs, simultaneous flash, splash-proof, bitension. German K Standard	213,54
2004067	FA-535/4D	35W Power supply, 2-Channels, (4) outputs, quad flash, splash-proof, 12V	232,63
2004038	FA-520	50W Power supply, 2-Channels, (4) outputs, double or quad flash, bitension	294,92
2004039	FA-520/M	50W, Power supply, 2-Channels, (3 outputs), double or quad flash, bitension	294,93
2004087	FA-704	70W Power supply, 2-Channels, (4) outputs, quad flash, splash-proof, bitension. UN R65 approved	295,63
2004089	FA-706/E	70W Power supply, 2-Channels, (6) outputs, quad flash, splash-proof, bitension. UN R65 approved	295,63
		Mount Accesories	
8232010	SOP-FA520	Support w/ clip mount, FA520	19,07
8232445	KT/BLOK-FA	Silent block kit, FA-535/4D, FA-706/E, FA-540/E, FA-540/E HL	5,36
8244697	KT/CBL-FA	Wiring kit for FA-535/4D w/ CD-200/4	70,02
		DIRECTIONAL WARNING LIGHTS	
		SIGNALMASTER	

Reference	Model	Description	List Price € 2011	
		LEDs System		
2010195	SML6D6/30-AA	Directional lighting system, (6) Gen I LED modules, w/o controller, 9m.cable, amber, 12V	464,80	
2010201	SML6D6/30-AA-24	Directional lighting system, (6) Gen I LED modules, w/o controller, 9m.cable, amber, 24V	464,80	
2010193	SML8D8/30-AA	Directional lighting system, (8) Gen I LED modules, w/o controller, 9m.cable, amber, 12V	598,55	
2010204	SML8D8/30-AA-24	Directional lighting system, (8) Gen I LED modules, w/o controller, 9m.cable, amber, 24V	598,55	
		Halogen System		
2010167	SML4-30-A	Directional lighting system, (4) halogen lights, 500x63mm, 27W lamp, 9m.cable, amber, 12V	179,42	
2010170	SML4-30-A-24	Directional lighting system, (4) halogen lights, 500x63mm, 27W lamp, 9m.cable, amber, 24V	179,42	
2010092	SML6/CT-A	Directional lighting system, (6) halogen lights, 800x63mm, 27W lamp, 9m.cable, roof connector, amber, 12V	384,18	
2010173	SML8-30-A	Directional lighting system, (8) halogen lights, 1100x63mm, 27W lamp, 9m.cable, amber, 12V	337,77	
2010174	SML8-30-A-24	Directional lighting system, (8) halogen lights, 1100x63mm, 20W lamp, 9m.cable, amber, 24V	337,77	
2010093	SML8/CT-A	Directional lighting system, (8) halogen lights, 1100x63mm, 27W lamp, 9m.cable, roof connector, amber, 12V	435,09	
2010119	SML8/CT-A-24	Directional lighting system, (8) halogen lights, 1100x63mm, 27W lamp, 9m.cable, roof connector, amber, 24V	443,79	
2010129	SME8HL-12	Directional lighting system, (8) halogen lights, 1056 x 60 mm, 21W lamp, 4 m cable, amber, 12V. European	412,35	
2010140	SME8HL-24	Directional lighting system, (8) halogen lights, 1056 x 60 mm, 21W lamp, 4 m cable, amber, 24V. European	412,35	
2010134	SME8HL/CT-12	Directional lighting system, (8) halogen lights, 1056 x 60 mm, 21W lamp, 4 m cable, roof connector, amber, 12V. European	499,57	
2010255	SME8HL/CT-24	Directional lighting system, (8) halogen lights, 1056 x 60 mm, 21W lamp, 4 m cable, roof connector, amber, 24V. European	499,57	
		SIGNALMASTER CONTROL SERIES		
		LED System		
2010205	SML6D6-KS	Directional lighting system, (6) Gen I LED modules, w/ controller, amber, 12V	626,70	
2010215	SML6D6-KS/CT	Directional lighting system, (6) Gen I LED modules, w/ controller, 9 m. wiring, roof connector, amber, 12V	731,25	
2010206	SML6D6-KS-24	Directional lighting system, (6) Gen I LED modules, w/ controller, amber, 24V	626,70	
2010207	SML8D8-KS	Directional lighting system, (8) Gen I LED modules, w/ controller, amber, 12V	759,52	
2010216	SML8D8-KS/CT	Directional lighting system, (8) Gen I LED modules, w/ controller, 9 m. wiring, roof connector, amber, 12V	864,06	
2010208	SML8D8-KS-24	Directional lighting system, (8) Gen I LED modules, w/ controller, amber, 24V	759,52	
2010220	SML8D8-KS/CT-24	Directional lighting system, (8) Gen I LED modules, w/ controller, 9 m. wiring, roof connector, amber, 24V	864,06	
		Halogen System		
2010212	SML6-KS	Directional lighting system, (6) halogen lights, w/ controller, amber, 12V	387,53	
2010213	SML6-KS	Directional lighting system, (6) halogen lights, w/ controller, amber, 24V	407,53	
2010209	SML8-KS	Directional lighting system, (8) halogen lights, w/ controller, amber, 12V	434,88	
2010211	SML8-KS	Directional lighting system, (8) halogen lights, w/ controller, amber, 24V	461,53	
		SIGNALMASTER SOLARIS		
NEW!	2010560	SML6D6 SL	Directional lighting system, (6) Solaris LED modules, w/o controller, XXXm.cable, amber, bitension	Consult
NEW!	2010561	SML8D8 SL	Directional lighting system, (8) Solaris LED modules, w/o controller, XXXm.cable, amber, bitension	Consult
NEW!	2010562	SML6D6-KS SL	Directional lighting system, (6) Solaris I LED modules, w/ KS controller, XXXm.cable, amber, bitension	Consult
NEW!	2010563	SML8D8-KS SL	Directional lighting system, (8) Solaris I LED modules, w/ KS controller, XXXm.cable, amber, bitension	Consult
NEW!	2010564	SML6D6-CB SL	Directional lighting system, CAN BUS, (6) Solaris I LED modules, w/o controller, XXXm.cable, amber, bitension	Consult
NEW!	2010565	SML8D8-CB SL	Directional lighting system, CAN BUS, (8) Solaris I LED modules, w/o controller, XXXm.cable, amber, bitension	Consult
		<i>* CAN BUS models must controlled with a CAN BUS controller.</i>		

Reference	Model	Description	List Price € 2011
		SMC CONTROL HEADS	
330104	SMC	Basic control for (6)-lamp and (8)-lamp Signalmaster, 12V/24V	220,12
331105	SMC	Deluxe control for (6)-lamp and (8)-lamp Signalmaster, special functions, 12V/24V	257,53
		(*Also available: Intelligent Controllers ICS2009, see page xx)	
		LED SIGNS	
		LSG900 Series	
2025446	LSG900	LSG900 LED sign for external mounting. Vertical mounting system, 200 Programmable messages	1200,00
		(TPL700, SmartSign Message Editor and LCD900 control head purchased separately)	
8216136-01xxx	LCD900	LCD900 Control head w/ LCD back-lit screen to display messages. (Specify language when ordering)	240,88
2025327xx	TPL700	(1) Programming terminal, for SmartSign (specify language when ordering)	391,17
2025336	SSME	SmartSign Message Editor, for editing and downloading SmartSign programmable LED sign messages from PC.	174,55
		SMARTSIGN	
2025310	LSG700	(1) Programmable Gen I LED sign, 575x195x185 mm, in metal flip up undercover case. 200 Programmable messages by TPL700 programming terminal or SmartSign Message Editor. LCD700 Control head w/ LCD back-lit screen to display messages. *(TPL700, SmartSign Message Editor and LCD700 control head purchased separately)	999,04
2025377	LSG702	(1) Programmable Gen I LED sign, 575x195x185 mm, fixed mount kit with (2) "L" brackets in the upper level and (2) suction pad in the lower level, 200 Programmable messages by TPL700 programming terminal or SmartSign	934,07
		* TPL700 and LCD700 must be ordered separately.	
8216112xx	LCD700	LCD700 Control head w/ LCD back-lit screen to display messages.	215,93
2025327xx	TPL700	(1) Programming terminal, for SmartSign (specify language when ordering)	391,17
2025336	SSME	SmartSign Message Editor, for editing and downloading SmartSign programmable LED sign messages from PC.	174,55
		CL-200 Serie	
2025134	CL-200	Motorbike Led Matrix Message Board (270x80mm), "Stop Police"	392,22
2025187	CL-200	Motorbike Led Matrix Message Board (270x80mm), "Stop Policia"	392,22
		INTERNAL WARNING LIGHTS	
		LIGHTS	
		VIPER S2	
NEW! 2010549	VIPER S2 Solaris	High-efficiency LED light, blue color, flash pattern selector, windshield mount, 12V UN R65 approved	179,38
NEW! 2010548	VIPER S2 Solaris	High-efficiency LED light, amber color, flash pattern selector, windshield mount, 12V	179,38
NEW! 2010550	VIPER S2 Solaris	High-efficiency LED light, red color, flash pattern selector, windshield mount, 12V	179,38
329000-22	VIPER S2 DUAL	VIPER S2 dual, amber-amber light, with cigarette plug and (2) mounting brackets, 12V	333,13

Reference	Model	Description	List Price € 2011	
329000-23	VIPER S2 DUAL	VIPER S2 dual, amber-blue light, with cigarette plug and (2) mounting brackets, 12V	333,13	
329000-24	VIPER S2 DUAL	VIPER S2 dual, amber-red light, with cigarette plug and (2) mounting brackets, 12V	333,13	
329000-32	VIPER S2 DUAL	VIPER S2 dual, blue-amber, with cigarette plug and (2) mounting brackets, 12V	333,13	
329000-33	VIPER S2 DUAL	VIPER S2 dual, blue-blue, with cigarette plug and (2) mounting brackets, 12V	333,13	
329000-34	VIPER S2 DUAL	VIPER S2 dual, blue-red, with cigarette plug and (2) mounting brackets, 12V	333,13	
329000-42	VIPER S2 DUAL	VIPER S2 dual, red-amber, with cigarette plug and (2) mounting brackets, 12V	333,13	
329000-43	VIPER S2 DUAL	VIPER S2 dual, red-blue, with cigarette plug and (2) mounting brackets, 12V	333,13	
329000-44	VIPER S2 DUAL	VIPER S2 dual, red-red, with cigarette plug and (2) mounting brackets, 12V	333,13	
AREA LIGHTING				
SEARCH LIGHTS				
WIRELESS VISIBEAM®				
620200	VB12PM-W	100W Spotlight, wireless control head, permanent mount, 12V	408,17	
620201	VB12MG-W	100W Spotlight, wireless control head, magnetic mount, 12V	430,23	
620202	VB24PM-W	65W Spotlight, wireless control head, permanent mount, 24V	408,17	
VISIBEAM®				
2101081	VB12S	55W Spotlight, remote control head, permanent mount, 12V	388,73	
2101089	VB24S	65W Spotlight, remote control head, permanent mount, 24V	388,73	
2101082	VB12S1	100W Spotlight, remote control head, permanent mount, 12V	388,73	
Scene Light GHSCENE				
2005232	GHSCENE	Rectangular directional Scene light, 100 x 140mm, (2) 20W halogen lamps, flush mount, chrome flange, clear, 12V	126,47	
2005282	GHSCENE-24	Rectangular directional Scene light, 100 x 140mm, (2) 20W halogen lamps, flush mount, chrome flange, clear, 24V	126,47	
Scene LED Light GHSCENE				
NEW!	2005445	GHSCENE LED	Rectangular directional Scene LED light, 100 x 140mm, (2) 3W LED lamps, flush mount, chrome flange, clear, 12V	180,00
NEW!	2005446	GHSCENE-24 LED	Rectangular directional Scene LED light, 100 x 140mm, (2) 3W LED lamps, flush mount, chrome flange, clear, 24V	180,00
ECOLINE HALOGEN				
<i>12V H3 bulb in magnetic models</i>				
SR-PM		Eco Line round model with swivel mount, scene light	24,76	
SR-MM		Model with magnetic mount and cigarette plug, scene light, 2 magnets	40,27	
SS-PM		Square model, with swivel mount, spot light	24,76	
SS-MM		Square model, with magnetic mount and cigarette plug, spot light, 2 magnets	40,27	
SR-PM-A		Round model with swivel mount, scene light, amber lens	24,76	
SR-MM-A		Round model with magnetic mount and cigarette plug, scene light	40,27	
SP-MM		Round model with, 1 rubberprotected magnet	37,55	
ECOLINE LED & HID				
LED models				
SCL-PM		Ecoline cabine light , LED , Spot , Permanent Mount, bitension	76,88	
SCL-MM		Ecoline cabine light , LED , Spot , Magnetic Mount, bitension	84,05	

Reference	Model	Description	List Price € 2011
FCL-PM		Ecoline cabine light , LED , Flood , Permanent Mount, bitension	76,88
FCL-MM		Ecoline cabine light , LED , Flood , Magnetic Mount, bitension	84,05
SRL-PM		Ecoline Worklight , LED , Spot , Permanent Mount, bitension	110,70
SRL-MM		Ecoline Worklight , LED , Spot , Magnetic Mount, bitension	121,98
FRL-PM		Ecoline Worklight , LED , Flood , Permanent Mount, bitension	110,70
FRL-MM		Ecoline Worklight , LED , Flood , Magnetic Mount, bitension	121,98
		HID models	
SRX-PM1		Ecoline Worklight , HID , Permanent Mount, bitension	184,50
SRX-MM1		Ecoline Worklight , HID , Magnetic Mount, bitension	184,50
		FH-55	
2101003	FH-55	12" Model, Halogen Lamp, metal Bracket, 12V, neck extends from end of chassis (vertical mount)	174,73
2101078	FH-55	18" Model, Halogen Lamp, metal Bracket, 12V, neck extends from end of chassis, wires from base (vertical mount)	174,73
		Accessories	
2102010	L-104	Portable 8Ah-battery for FH-55 work spotlight, w/carrying bag	280,29
9140006	BL-104	Carrying bag for L-104 portable battery	30,43
2102014	CBF-104	Charger 12V/220V, for L-104 portable battery	58,35
SIRENS & AUDIBLE WARNING			
INTEGRATED CONTROL SYSTEMS			
ICS2010 Series			
		Integrated Control System, 100W siren amplifier w/ 16 programs, SignalMaster controller, 10 relays, wiring harness, controlled by BCT-500 control head	
ICS2010ST-12	ICS2010		938,44
		<i>ICS2010 integrated control system includes:</i>	
2020192	GEP500	Electronic power management. Integrate the systems for the control of the luminous and acoustic devices of emergency.	538,13
8216103	BCT500-STD	Control head. Enables the control of all functions assigned to the GEP500 through 13 backlit keys, PTT for public address and volume control. Standard model: wail, yelp and hi-lo. *Other models, please contact with Sales Dpt.	400,32
ICS2011 Series			
		Integrated Control System, 100W siren amplifier w/ 16 programs, SignalMaster controller, 10 relays, wiring harness, controlled by BCT-501 control head w/	
ICS2011ST-12	ICS2011	special keypad and multiple-symbol adhesive label.	938,44
		<i>ICS2011 integrated control system includes:</i>	
2020192	GEP500	Electronic power management. Integrate all the systems for the control of the luminous and acoustic devices of emergency.	538,13
8216133	BCT501-STD	Control head. Enables the control of all the functions assigned to the GEP500 through 13 backlit keys, PTT for public address and volume control and multiple-symbol adhesive card. It has the tones: wail, yelp and hi-lo. *Other models, contact with Sales Dpt.	400,32
		Mount Accesories	
82441010	CB-2010/2011	Installation kit, 5 m. cable, for ICS2010	37,17
ELECTRONIC SIREN AMPLIFIERS			
AS400 Series			
Sirens w/ public address (P.A.)			
2020155	AS-422	100W Siren amplifier, (3) tones, remote control, P.A., (2) light control outputs w/ relays, wiring harness, 12V	661,46
2020156	AS-422-24	100W Siren amplifier, (3) tones, remote control, P.A., (2) light control outputs w/ relays, wiring harness, 24V	661,46
2020141	AS-422/6S	100W Siren amplifier, (3) tones, remote control, P.A., (6) light control outputs w/ relays, wiring harness, 12V	731,95

Reference	Model	Description	List Price € 2011
2020162	AS-422/6S-24	100W Siren amplifier, (3) tones, remote control, P.A., (6) light control outputs w/ relays, wiring harness, 24V	731,95
2020099	AS-425	100W Siren amplifier, (3) tones, remote control, P.A., (6) light control outputs w/ relays, lamp failure detection, wiring harness, 12V	728,34
2020103	AS-425-24	100W Siren amplifier, (3) tones, remote control, P.A., (6) light control outputs w/ relays, lamp failure detection, wiring harness, 24V	728,34
		AS300 Series	
		Sirens w/ public address (P.A.)	
2020256	AS-320DIG	100W Siren amplifier, (3) tones, remote control, P.A., (1) light output, (1) auxiliar output, wiring harness, 12V	374,22
2020257	AS-320-24DIG	100W Siren amplifier, (3) tones, remote control, (2) lights outputs, (1) auxiliar output, wiring harness, 24V	374,22
2020236	AS-380M	100W + 100W Siren amplifier, (4) tones, remote control, P.A., wiring harness, 12V	292,75
2020237	AS-380S	Amplifier for installation along with model AS-380M. Together offer a maximum power of 400W.	263,10
		Sirens w/o public address (P.A.)	
2020188	AS-324	100W Siren amplifier, (2) tones, remote control, w/o P.A., (2) lights outputs, (1) auxiliar outputs, wiring harness, 12V	336,81
2020183	AS-324-24	100W Siren amplifier, (2) tones, remote control, w/o P.A., (2) lights outputs, (1) auxiliar outputs, wiring harness, 24V	336,81
		AS200 Series	
2020073	AS-211/RV	100W Siren amplifier, (3) tones, remote control, P.A, voice recording function, wiring harness, 12V	565,07
2020147	AS-250	100W Siren amplifier, (3) tones, w/o P.A., (1) auxiliar output, splash-proof, w/o wiring harness, 12V	292,85
		INTEGRATED Sirens	
		Sirens w/ public address (P.A.)	
2020085	PA300MSC	100/200W Siren amplifier, (4) tones, P.A., 12V	366,29
2020086	PA300-24MSC	100/200W Siren amplifier, (4) tones, P.A., 24V	383,36
		Sirens w/o public address (P.A.)	
MS4000UFS	MS4000UFS	100W Undercover mini-siren amplifier, (3) tones, w/o P.A., w/ intersection clearing feature, undercover, 12V	265,11
		Mount Accesories	
8216117	AV-D/N	Power limiter for siren amplifier - day/night -	49,72
8244422	CB-420	Special wiring harness, 5m., for AS-422	76,49
DSM	DSM	"U" bracket, PA300	60,24
8235429	MNCT-SB	Microphone, noise cancelling, PA-300-MSC	102,47
8232445	KT/BLOK-AS250	Kit, silent block, AS-250	5,36
2006021	SF-20A	Lamp failure detector, 12V	31,08
2006024	SF-20A-24	Lamp failure detector, 24V	31,08
		LOUDSPEAKERS	
2021047	AL-252N	100W Speaker, round horn, neodymium driver, metal L- bracket	239,11
2021004	AL-257N	100W Speaker, rectangular horn, driver housing, exterior protector, white	314,39
TS100-N	TS100-N	100W Speaker, neodymium driver (Class A)	243,10
		ALTAVOCES COMPACTOS	
2021049	ALS1000	30W Compact speaker, 6 Ohm, reduced dimensions	92,39
2021049-BL	ALS1000	30W Compact speaker, white, 6 Ohm, reduced dimensions	92,39
2021050	ALS1000N	30W Compact speaker, Neodymium, 6 Ohm, reduced dimensions	168,80
2021050-BL	ALS1000N	30W Compact speaker, white, Neodymium, 6 Ohm, compact, reduced dimensions	162,93
750501	AS124	High output 100W Speaker, 11 Ohm, neodymium driver, mount hardware	169,51
ES100	ES100	100W Compact Speaker, w/o bail bracket	300,33
ESB-U	MNT-ES100	ES100 mounting kit	20,18
2021020	BP100	100W Compact Speaker, cast-iron chassis	469,50

Reference	Model	Description	List Price € 2011
COMPACT SIRENS			
2020172	SC-330	30W Compact Siren Amplifier, 3 tones (Wail-Yelp, and Hi-Lo), Programmable, P.A., installation chassis on the vehicle, without wiring harness, 12V	358,25
SOUNDSTAR Series			
2020200	SCS1000	30W Compact siren, (16) tones, programmable, w/ mounting hardware, w/o wiring harness, 12V	206,84
2020200-BL	SCS1000BL	30W Compact siren in white colour, (16) tones, programmable, w/ mounting hardware, w/o wiring harness, 12V	206,84
2020193	SCS1000-FG	30W Compact siren, Germany (approved), France and Switzerland tones, w/ mounting hardware, w/o wiring harness, 12V	230,70
2020193-BL	SCS1000BL-FG	30W Compact siren in white colour, Germany, France and Switzerland tones, w/ mounting hardware, w/o wiring harness, 12V	230,70
2020207	SCS1000N	30W Compact siren, Neodymium, Italy (approved) and standard tones, w/ mounting hardware, w/o wiring harness, 12V	307,86
2020207-BL	SCS1000NBL	30W Compact siren in white colour, Neodymium, Italy (approved) and standard tones, w/ mounting hardware, w/o wiring harness, 12V	307,87
2020217	SCS1000N-FG	30W Compact siren, Neodymium, Germany, France (approved) and Switzerland tones, w/ mounting hardware, w/o wiring harness, 12V	307,86
2020217-BL	SCS1000NBL-FG	30W Compact siren in white colour, Neodymium, Germany, France (approved) and Switzerland tones, w/ mounting hardware, w/o wiring harness, 12V	307,87
Accessories			
8216113	SCS1000-PA	Public address kit, w/ volume and microphone functions control, SCS1000	66,11
8299306	SCS1000-BLOCK	Silent block kit, SCS1000 / ALS1000	21,79
CONTROLLERS			
ICS SYSTEMS (INTELLIGENT CONTROLLERS)			
DLC1400 Series			
DLC1400		Intelligent CanBus control system with (4) outputs, fully protected against polarity, reversal, overloading and short-circuits. Control head with (4) backlit-keys, 12V	333,15
DLC1600 Series			
DLC1600		Intelligent CanBus control system with (6) outputs, fully protected against polarity, reversal, overloading and short-circuits. Control head with (6) backlit-keys, 12V	363,90
ICS2006SI Series			
ICS2006SI-12	ICS2006SI	Intelligent CanBus control system with (6) outputs (4 positive outputs, 2 negative outputs for SoundStar or AS324 connection), fully protected against polarity, reversal, overloading and short-circuits. Control head with (6) backlit-keys, 12V	410,00
<i>The ICS2006SI-12 comprises:</i>			
8235859	GEP2006SI	Intelligent Power Manager, (6) intelligent outputs (4 positive outputs, 2 negative outputs for SoundStar or AS324 connection), controlled by the BCT2006	295,20
8216147	BCT2006SI	Control head, all functions connected to the GEP2006 can be controlled by (6) backlit keys, (2) mounting systems: swivel or permanent	114,80
DLC1000 Series			
DLC1000		Intelligent CanBus control system with SignalMaster control, (4) more outputs, fully protected against polarity, reversal, overloading and short-circuits. Control head with (9) backlit-keys, 12V/24V	370,10
DIRECT WIRE CONVERTER			

Reference	Model	Description	List Price € 2011
2006036		Control box for CAN BUS lightbars to convert from CAN BUS control to Direct Wire control.	71,00
ALPR SYSTEM			
ALPR cameras			
SLATE-XXX-LE-P		Mobile Law Enforcement Package - Four Slate low profile camera(s) with 810nm or 950nm illumination, SupeRex III processor, camera cable/connector(s), GPS module, PAGIS software, PIPS ALPR/OCR Engine, Client/Server architecture, Lightbar Mounting Bracket(s) and Plate(s) for approved lightbar assemblies (see Notes). Please replace XXX in part number with desired infrared wavelength (810 or 950).	Consult
SLATE-XXX-LE-S		Two Camera System Mobile Law Enforcement Package - Two Slate low profile camera(s) with 810nm or 950nm illumination, SupeRex III processor, camera cable/connector(s), GPS module, PAGIS software, PIPS ALPR/OCR Engine, Client/Server architecture, Lightbar Mounting Bracket(s) and Plate(s) for approved lightbar assemblies (see Notes). Please replace XXX in part number with desired infrared wavelength (810 or 950).	Consult
Back Office			
BOSS-ADMIN		Back Office System Software for system administration, data analysis and data storage. Provides data mining and reporting, basic mapping functionality, remote alerting, and networking in support of inter-agency data sharing. Sold as concurrent user licenses; smart clients may be installed on an unlimited number of PC's and licenses determine how many users may be logged in simultaneously. BOSS-ADMIN: Basic License providing administrator access and two concurrent users.	Consult
BOSS-5		Block of 5 Concurrent User Licenses	Consult
SAFETY KITS			
INDIVIDUAL TRANSPORT KIT			
UTILITY VEHICLE			
	MP-SU-AS	Divider shield with fan. Floor and Seat with drain hole.	1947,73
	PANEL-D	ABS right door panel	159,89
Accessories			
	LUZ-INT	Interior LED light	
VEHICLE KITS WITH SIDE PANELS			
UTILITY VEHICLE			
	MP-	Divider shield	589,52
	SU-	Floor	631,10
	AS-	Seat	708,36
	PANEL-D	ABS right door panel	163,89
	PANEL-I	ABS left door panel	163,89
SUV			
	MP-	Divider shield	707,49
	SU-	Floor	734,70
	AS-	Seat	816,34
	PANEL-D	ABS right door panel	223,13
	PANEL-I	ABS left door panel	223,13
VANS (Expert, Scudo y Jumpy versiones 2007)*			
<i>*(Wheelbase 3m/s).</i>			
	MP-	Divider shield	897,97
	SU-	Floor	310,21
	AS-DRCH	Right seat	832,66
	AS-IZQUI	Left seat	832,66
	PANEL-D	ABS right door panel	468,03
	PANEL-I	ABS left door panel	468,03
Accessories - Divider shield			

Reference	Model	Description	List Price € 2011
	CL-510	12V Charger Unit for L-500	53,90
	CL-510/R	12V Charger Unit for L-500R	105,71
	AMK-50	Safety Gun-Lock fitted w/ electromagnetic lock, adjustable to different guns	211,40
	AMK-90	Safety Gun-Lock fitted w/ electromagnetic lock	207,25
	AMK-100	Safety Gun-Lock fitted both w/ electromagnetic and manual (key) lock	219,86
	AMK-200	Safety Gun-Lock fitted both w/ electromagnetic and manual (key) lock	219,86
		*The different models available could require a kit formed by mechanical or electrical belts. For further information, please contact our sales department. ** There are rear dividers available for some vehicles.	
		Accessories	
8235964	CKS-CB	CAN BUS control box for the systems included in the prisoner transport kit: · Open/close the rear doors. · Unblock the gun-lock with timer (7'). · Fan control. · Interior light. · Block/unblock the electrical belts. · Auxiliary output for flashlight.	232,00
		* Only available with BCT2000 CAN BUS control head series.	
		Vehicles kits availability	
		* Please contact your Area Sales Manager for availability of kits and versions. ** When a prisoner kit will be installed, the lateral airbags in the vehicle must be deactivated.	
ARMEROS		GUN-LOCKS	
		AMK Series	
1204001	AMK-50	Safety Gun-Lock fitted w/ electromagnetic lock, adjustable to different guns, cavity dimensions:min: 58 x 43 mm, max: 58x 78 mm	211,40
1204008	AMK-90	Safety Gun-Lock fitted w/ electromagnetic lock, cavity dimensions: 47 x 70 mm	207,25
1204006	AMK-100	Safety Gun-Lock fitted both w/ electromagnetic and manual (key) lock, cavity dimensions: 47 x 70 mm	219,86
1204023	AMK-150	Safety Gun-Lock fitted both w/ electromagnetic and manual (key) lock, cavity dimensions: 29 x 56 mm	219,86
		(*) Opcional the Gun-Lock can be installed over the Divider Shield	
		Accessories	
1204017	TA-210	Timer for Gun-lock, electromagnetic	52,15
8216091	SW-523	OFF-ON Push button, illuminated w/ protection	15,08
9133436	ACUAL	Rifle stock support	2,78
ACCESSORIES			
		RECHARGEABLE FLASHLIGHTS	
		L-500 Series	
2101095	L-500	Rechargeable flashlight w/ 6V 10W halogen lamp, (2) light levels, standard charge time, charger unit, adjustable focus, 12V	175,59
2101108	L-500I	Rechargeable flashlight w/ 6V 10W halogen lamp, (1) light level, flashing, standard charge time, charger unit, adjustable focus, 12V	175,59
2101118	L500LED	Rechargeable flashlight w/ 6V 10W halogen lamp, (20) high luminosity LED (10 LED red colour and 10 LED amber colour), (1) light level, standard charge time, charger unit, adjustable focus, 12V	205,95
2101118-01	L500LED/BL	Rechargeable flashlight w/ 6V 8W halogen lamp, (20) high luminosity white LED, (1) light level, standard charge time, charger unit, adjustable focus, 12V	227,25
2101117-01	L500LED/BU/S	Rechargeable flashlight w/ 6V 8W halogen lamp, (20) high luminosity white LED, (1) light level, standard charge time, charger unit, adjustable focus, w/out charger unit, 12V	177,89
2101122	L-500R	Rechargeable flashlight w/ 6V 8W halogen lamp, (2) light levels, fast charge time, charger unit, adjustable focus, 12V	223,49
2101124	L-500RI	Rechargeable flashlight w/ 6V 8W halogen lamp, (1) light level, fast charge time, flashing, charger unit, adjustable focus, 12V	223,49

Reference	Model	Description	List Price € 2011
2101119	L500RLED	Rechargeable flashlight w/ 6V 8W halogen lamp, (20) high luminosity LED (10 LED red colour and 10 LED amber colour), (1) light level, fast charge time, charger unit, adjustable focus, 12V	262,12
2101096	L-500/S	Rechargeable flashlight w/ 6V 10W halogen lamp, (2) light levels, standard charge time, w/out charger unit, adjustable focus, 12V	126,22
2101110	L-500I/S	Rechargeable flashlight w/ 6V 10W halogen lamp, (1) light level, standard charge time, flashing, w/out charger unit, adjustable focus, 12V	126,22
2101117	L500LED/S	Rechargeable flashlight w/ 6V 10W halogen lamp, (20) high luminosity LED (10 LED red colour and 10 LED amber colour), (1) light level, standard charge time, w/out charger unit, adjustable focus, 12V	156,59
2101123	L-500R/S	Rechargeable flashlight w/ 6V 8W halogen lamp, (2) light levels, fast charge time, w/out charger unit, adjustable focus, 12V	129,93
2101125	L-500RI/S	Rechargeable flashlight w/ 6V 8W halogen lamp, (1) light level, fast charge time, flashing, w/out charger unit, adjustable focus, 12V	129,93
2101120	L-500RLED/S	Rechargeable flashlight w/ 6V 8W halogen lamp, (20) high luminosity LED (10 LED red colour and 10 LED amber colour), (1) light level, fast charge time, w/out charger unit, adjustable focus, 12V	161,21
		Accessories	
		Light-Spreader & Paddles	
9151270	DL-500	Light-spreader cone for L-500 & L-500/R flashlight series, to connect to PG-500, (yellow colour)	4,46
9151270-01	DL-500	Light-spreader cone for L-500 & L-500/R flashlight series, to connect to PG-500, (red colour)	4,46
9151270-02	DL-500	Light-spreader cone for L-500 & L-500R flashlight series, white (Recommended the use with L-50LED flashLight series for signaling traffic)	4,46
2101099	DL-500/2C	Light-spreader cone for L-500 & L-500R flashlight series, amber w/ 1 red spreading-Lens, to connect to PG-501	11,85
2101100	DL-500/3C	Light-spreader cone for L-500 & L-500R flashlight series, white w/ amber and 1 red spreading-Lens, to connect to PG-501	12,61
2101101	DL-500/3C	Light-spreader cone for L-500 & L-500R flashlight series, white w/ green and 1 red spreading-Lens, to connect to PG-501	12,61
1005066	PD-500	Luminous paddle for L-500 & L-500/R flashlight series w/ 'Stop' and Arrows Signs, to connect to PG-501	24,87
		Brackets & Chargers	
8299003	SCO-500/400	Metal bracket for flashlight cone, grey	12,23
8299018	SCO-500/400	Metal bracket for flashlight cone, black	12,23
8136813	SPD-500/400	Luminous paddle metal bracket, Series 400/500	12,23
2101098	CM-510	Multiple charger, (5) L-500 flashlights, 220V	386,81
2102013	AL-500/400	Adapter, 12VDC/220V AC, flashlights Series 400/500	47,95
		READING LAMPS	
		LED LITTLITE	
LF12ES-LED	LF12ES-LED	12" Model, LED Lamp, metal Bracket, 12V, neck extends from end of chassis	183,52
LF18ES-LED	LF18ES-LED	18" Model, LED Lamp, metal Bracket, 12V, neck extends end of chassis	183,52
		LITTLITE	
5001048	LF12ER	12" Model, Halogen Lamp, metal Bracket, 12V, neck extends from end of chassis (vertical mount)	98,25
5001153	LF18ERB	18" Model, Halogen Lamp, metal Bracket, 12V, neck extends from end of chassis, wires from base (vertical mount)	98,25
		CONTROL UNITS	
		Controls and Relay boxes	
2006018	CR-5	5-Relais box w/ 5-Switches Control (supplied w/out telephone cable n° 8244218), 12V	215,68
2006019	CR-5-24	5-Relais box w/ 5-Switches Control (supplied w/out telephone cable n° 8244218), 24V	215,68
		SW Series	
8216090	SW-521	ON-OFF Switch, illuminated w/ protection	15,08

Reference	Model	Description	List Price € 2011
8216089	SW-522	ON-OFF-ON Comnuter, illuminated w/ protection	15,08
8216091	SW-523	OFF-ON Push button, illuminated w/ protection	15,08
		Mounts Accesories	
8150748	BM-SW2	Metal base (2) SW Series switches	3,95
8150749	BM-SW3	Metal base (3) SW Series switches	5,36
		MEGAPHONES	
2020118	A12SA	Voice gun megaphone, 16W output, (batteries not included)	802,17
2020090	A15	Voice gun megaphone, 10W output, (batteries not included)	174,20
		BACK-UP ALARMS	
2020107	252	Alarm, 97 dB, 12-48V	54,86
2020115	260	Alarm, 87-112 dB, 6-36V	101,97
210338		87dB, Single function, 12-24V	31,20
210339		97 dB, Single function, 12-24V	26,14
210340		102 dB, Single function, 12-24 V	32,54
210341		107 dB, Single function, 12-24V	38,95
210504		Reactor model, automatic level control, 12-24V, 87-112 dBA	115,83
210330		Evacuator Plus, 12-48V, output 87 dBA	52,28
210333		Evacuator Plus, 12-48V, output 107 dBA	52,28
210335		Evacuator Plus, 12-48V, output 112 dBA	61,24
210337		Evacuator Plus, Heavy Duty model, 12-48V, two position outputs: Off road: 107 dBA, On road: 12 dBA	121,21
		LIGHTING ACCESSORIES	
		Flashers and relays	
650201	INTELLI-F	Intelli-Flash, (8) flash patterns, (2) outputs - 6Amp, 12V	80,70
650202	INTELLI-F	Intelli-Flash, (8) flash patterns, (4) outputs - 4Amp, 12V	80,70
650205	INTELLI-F	Intelli-Flash, (10) flash patterns, (2) outputs - 10Amp, 12V	110,97
9019034	FHL2	95 FPM, (2) 10 amp loads w/ high-beam override	68,60
RI-V12	RI-FSV12	Vama Flashing relay, alternate & simultaneous, (2) wholes (2) lamps, 55w 12V	63,20
RI-V24	RI-FSV24	Vama Flashing relay, alternate & simultaneous, (2) wholes (2) lamps, 55w 24V	77,97
2006021	SF-20A	Speaker failure detection sensor, 12V	31,08
2006022	SF-20L	Lamp failure detection sensor, 12V	35,68